Volume 5
Pages L1–249, 1–2454
1975

Journal of
Physics F

Metal Physics

A Europhysics Journal
published by
The Institute of Physics
in association with
The Metals Society and
The Institution of Metallurgists

Copyright © 1975 by The Institute of Physics and individual contributors. All rights reserved. Multiple copying of the contents or parts thereof without permission is in breach of copyright, but permission is hereby given to copy titles and abstracts of papers and names of authors. Permission is usually given upon written application to the Institute to copy illustrations and short extracts from the text of individual contributions, provided that the source (and, where appropriate, the copyright) is acknowledged.

Published by The Institute of Physics, 47 Belgrave Square, London SW1X 8QX, in conjunction with the American Institute of Physics.

Printed in Great Britain by A Wheaton & Co, Exeter. Set in 10/12 Times.

Journal of Physics F: Metal Physics

Honorary Editor

R Bullough PhD DSc FInstP FIM

Deputy Editor

J L Beeby MA PhD

Editorial Board

Y Adda
K H Bennemann
N E Cusack PhD FInstP
D M Edwards PhD MInstP
B L Eyre MSc AIM FInstP
E Kröner
A R Mackintosh PhD
D W Pashley ARCS PhD DIC FInstP FRS
A Prince B Met FIM
J C Rivière MSc PhD FInstP
E F W Seymour MA D Phil FInstP

Managing Editor

D G Fisher PhD

Staff Editor

S M Deeley MSc

Contents

NO 1 JANUARY 1975

LETTERS TO THE EDITOR

An attempt to eliminate a bone of contention about the optical properties of liquid mercury: Quantitative estimate of the Pauli-forbidden transition *K Kobayashi and M Watabe* L1

Interpolation scheme for the Kondo condensation applied to the study of its effect on the transition temperature of a superconductor *J J Préjean, J Souletie and J Teixeira* L6

Magnetic susceptibilities and antiferromagnetism in Cr–Pt alloys *S S Abdul-Noor and J G Booth* L11

PAPERS

Core structure of non screw $\frac{1}{2}\langle 111\rangle$ dislocations on {112} planes of bcc crystals: I. core structure in an unstressed crystal *M Yamaguchi and V Vitek* 1

Core structure of non screw $\frac{1}{2}\langle 111\rangle$ dislocations on {112} planes in bcc crystals: II. Peierls stresses and the effects of an external shear stress on the cores *M Yamaguchi and V Vitek* 11

Lattice dynamics of noble and transition metals *B L Fielek* 17

Atomic short range order in **Cu**Fe alloys *S J Campbell and T J Hicks* 27

The low temperature specific heat and magnetization of binary alloys of nickel with titanium, vanadium, chromium and manganese *I P Gregory and D E Moody* 36

On the theories of local environment effect in disordered alloys *F Brouers and F Ducastelle* 45

Resistivity of lanthanum, praseodymium and praseodymium–terbium alloys in d-hex phase *H Krizek* 56

Structure independent properties of expanded crystalline mercury *M A C Devillers and R G Ross* 73

Positron annihilation in polycrystalline Al and Th-angular distribution *T Nagarajan, P Ramasamy, K Iyakutti and V Devanathan* 81

The electrical resistivity of niobium and niobium–zirconium alloys *N Morton, B W James, G H Wostenholm and R J Nichols* 85

The contribution of lattice vibrations to the dielectric function $\epsilon(q,\omega)$ of metals *H Hinkelmann* 93

The thermoelectric power of alloys—a modified Nordheim–Gorter relation *R D Barnard* 99

The lattice dynamics of metals using the Shaw model potential *J A Reissland and O Ese* 110

Electron spin resonance studies of the onset of magnetic order in intermetallic compounds *R H Taylor and B R Coles* 121

Magnetic and electrical properties of very dilute Zn–3d alloys *A E Bell and A D Caplin* 143

A simple theory of the phonon contribution to the electron–phonon mass enhancement *I F Foulkes and I R Gomersall* 153

Magnetic response of s–d hybridized systems: microscopic and phenomenological approaches *A Troper, X A da Silva, A P Guimarães and A A Gomes* 160

Spin–orbit effect on heavy impurity atoms in cubic ferromagnetic transitional alloys *C Demangeat* 169

The distribution of hyperfine fields in iron and nickel *P C Riedi* 186

NO 2 FEBRUARY 1975

LETTERS TO THE EDITOR

The volume difference between ^{6}Li and ^{7}Li — *B Johansson and A Rosengren* — L15

Friedel's rule for a pair of defects in transition or noble metals — *J C Parlebas, C Demangeat and F Gautier* — L18

PAPERS

A compilation of dislocation tractions in anisotropic cubic metals — *D J Bacon and R O Scattergood* — 193

Anderson model approach to a system containing a vacancy and an impurity atom — *K Masuda* — 205

Analysis of Young's modulus in the polycrystalline Cu–Ni alloy with the theory for Nordheim's rule — *E Iguchi and K Udagawa* — 214

The effect of a long range oscillatory interaction on the stability of alloys: II. Hcp structures — *C S G Cousins* — 227

Two dimensional elastic Green function for a cracked anisotropic body — *J E Sinclair and J P Hirth* — 236

The low temperature specific heat of hexagonal cobalt in a magnetic field — *P C Lanchester, N F Whitehead, P Wells and R G Scurlock* — 247

On the electronic structure and Fermi surface of YZn alloy — *A Breeze and P G Perkins* — 255

Electronic structure of liquid metals and alloys in the tight binding approximation II — *B Movaghar and D Miller* — 261

Acoustic surface wave study of critical magnetic fields of superconducting Fe/Pb sandwiches — *G N Bishop* — 278

Spiral fluxlines in irreversible superconducting cylinders — *W E Timms and D G Walmsley* — 287

Paraconductivity of superconductors in magnetic fields — *G R Féat and G Rickayzen* — 307

White lines and self absorption of lines in the x ray absorption spectra of transition elements in the metallic state — *S Kawata* — 324

Temperature dependent phase shifts: a phenomenological approach to the Kondo problem — *J Souletie* — 329

A RHEED study of the epitaxial growth of antimony on tungsten (112) — *B J Hopkins and G D Watts* — 342

Structural and magnetic properties of $Co_2Ga_{2-x}Ti_x$ alloys — *J G Booth and R G Pritchard* — 347

Chemical shift in the x ray K absorption edge of strontium — *M K Gupta* — 359

The KVV Auger spectrum of lithium metal — *A J Jackson, C Tate, T E Gallon, P J Bassett and J A D Matthews* — 363

X ray excited Auger and photoelectron spectra of magnesium, some alloys of magnesium and its oxide — *J C Fuggle, L M Watson, D J Fabian and S Affrossman* — 375

Corrigendum — *G C Papavassiliou and Th Kokkinakis* — 384

NO 3 MARCH 1975

LETTERS TO THE EDITOR

Electromagnetic detection of ultrasonic shear waves in superconducting tin — *R L Thomas, M J Lea, E Sendezera and E R Dobbs* — L21

Electron spin resonance in $LaNi_5$–Gd alloys—absence of dynamic effects in the bottleneck
S E Male and R H Taylor L26

PAPERS

Influence of magnesium additions on the low temperature recovery stages in neutron irradiated aluminium *C Dimitrov, F Moreau and O Dimitrov* 385

Interstitial trapping and detrapping in electron irradiated dilute copper alloys
F Dworkschak, R Lennartz and H Wollenberger 400

Perturbation theory and three body forces in hcp metals
C M Bertoni, O Bisi, C Calandra and F Nizzoli 419

On the coherent potential approximation for liquid metals *F Yonezawa, L M Roth and M Watabe* 435

Band theory of one dimensional superlattices *A A Cottey* 443

Hall coefficient of beryllium *I Shiozaki* 451

Reformulation of the g shift in metals starting with the Pauli equation *R A Moore* 459

Electrical resistivity due to interstitial oxygen in the system $TiO_c (0 \leq c \leq 0{\cdot}5)$
A Filion, J P Nérou and P-E Girard 468

T^5 law and Mattheissen's rule *O J Bressan, A E Ridner and F de la Cruz* 481

A quantitative investigation of the two current conduction in nickel alloys
J W F Dorleijn and A R Miedema 487

Magnetic transitions in the chromium–iron system *B Loegel* 497

Electronic properties of liquid Li–Mg *J B Van Zytveld* 506

Ultrasonic attenuation in superconductors: theory of the effect of scattering of electrons by thermal phonons *E M Forgan* 515

Fluctuation induced band splitting in ferromagnetic and nearly ferromagnetic metals *J B Sokoloff* 528

Magnetic properties of $LaCo_{5x}Ni_{5-5x}$ *M Brouha and K H J Buschow* 543

The transition from a uniform ferromagnet to a complicated ordering structure in Pd rich Pd–Mn alloys *H A Zweers and G J van den Berg* 555

Limited ferromagnetism and other magnetic properties of Pd–Mn alloys
B R Coles, H Jamieson, R H Taylor and A Tari 565

Electron spin resonance in metals with magnetic impurities *H K Sy* 575

On the comparison of the soft x ray, x ray photoemission and Auger electron spectra of the valence bands of Mg, Mg_2Cu and Mg_3Au *J C Fuggle, L M Watson, P R Norris and D J Fabian* 590

NO 4 APRIL 1975

LETTERS TO THE EDITOR

Electron correlations in itinerant strong ferromagnetism *M Corrias* L31

Energetics of single vacancy in alkali metals using the improved screening theory
S G Das, P V S Rao and P Vashishta L35

Microwave resonance and magnetization in Tb: 25 at% Gd *D M S Bagguley and J P Partington* L39

Corrigendum *M Cini* L42

PAPERS

L absorption spectra of ^{57}La to ^{63}Eu in their oxides
M S Kushwaha, B D Srivastava and V S Dubey 597

Volume and electrical resistivity change due to vacancies in platinum *W Hertz and H Peisl* 604

Many electron correlation effects on the energies and configuration of lattice defects in simple metals: Stacking faults *P V S Rao* 611

Lattice dynamics of rubidium *A Rosengren and B Johansson* 629

Theory of the diffusion of heavy impurities in alkali metals *H Schober, R Taylor, M J Norgett and A M Stoneham* 637

Behaviour of collective volume excitations in aluminium near the 'critical wavevector' (transition into single particle excitation) *P Zacharias* 645

A study of the virtual bound state dielectric constant *D Beaglehole* 657

Temperature dependence of positron vacancy trapping in the Feynman polaron model *T McMullen and B Hede* 669

The low temperature electrical resistivity of high purity Ag and Ag based alloys *A J Barber and A D Caplin* 679

Local model pseudopotential for noble metals *Shankar Lal, A Paskin and F Leoni* 697

Spontaneous anistropy of the electrical resistivity of Ni *G Dedić* 706

A simple model for B_{c_2} in A15 materials and the effects of disorder *R E Somekh* 713

Giant moments and pressure effects in Pd–Ni alloys *J Beille and G Chouteau* 721

On the magnetic susceptibilities in disordered alloys II. Multiorbital case, spin wave stiffness constant *R Riedinger and M Nauciel-Bloch* 732

Magnetic properties of a random close packed amorphous alloy *R W Cochrane, R Harris, M Plischke, D Zobin and M J Zuckermann* 763

Optical properties of rare earth films in paramagnetic and magnetically ordered phases *J Krizek and K N R Taylor* 774

Nuclear magnetic resonance of ^{59}Co in $(Fe_{1-x}Co_x)_2$ B ferromagnetic borides *M C Cadeville and I Vincze* 790

Mössbauer study of the intermetallic compounds $(Fe_{1-x}Co_x)_2$ B and $(Fe_{1-x}Co_x)$ B *L Takács, M C Cadeville and I Vincze* 800

Hyperfine interactions and relaxation effects of Er impurities in Y studied by Mössbauer spectroscopy *J Stöhr and W Wagner* 812

X ray K absorption edge study of chemical shift in cobalt complexes *A K Singh and B M S Kashyap* 822

The MVV Auger spectra of copper and nickel *A M Baró, M Salmeron and J M Rojo* 826

Corrigendum *B L Fielek* 836

NO 5 MAY 1975

LETTERS TO THE EDITOR

A note on the Sondheimer size effect in aluminium *T Amundsen, B Berbom and H G Bratsberg* L43

Spin glass versus ferromagnet *D Sherrington and B W Southern* L49

Superparamagnetic behaviour in Fe_xCr_{1-x} alloys ($0{\cdot}20 < x < 0{\cdot}30$) *B Loegel, J M Friedt and R Poinsot* L54

Diffuse neutron scattering of PdMn *C J de Pater, C van Dijk and G J Nieuwenhuys* L58

An extension of Suhl's theory of the Kondo effect including the analogue of the 'infrared divergence'
H Hübel L64

Zero temperature spin mixing in nickel *O Jaoul and I A Campbell* L69

Electronic properties and phase transitions in calcium, strontium and barium at elevated temperatures *J Katerberg, S Niemeyer, D Penning and J B Van Zytveld* L74

Hyperfine magnetic fields observed at scandium nuclei in iron, nickel and the intermetallic compound $GdFe_2$ *M G Colley, D H Chaplin, D E Swan and G V H Wilson* L80

PAPERS

X ray emission studies of the electron structure of Ni atoms in nickel–aluminium alloys
E J Suoninen and T V O Valkonen 837

Many electron correlation effects on the energies and configuration of lattice defects in simple metals: Single vacancies *P V S Rao* 843

Observations of the epitaxial growth of nickel and copper on (111) silver
M J Gibson and P J Dobson 864

Equivalence of resonance and tight binding descriptions of the d band in transition metals
J A Moriarty 873

The band structure in monoclinic β-Ga *O Hunderi* 883

The electrical resistivity of liquid barium *H-J Güntherodt, E Hauser and H U Künzi* 889

Electrical properties of compound forming molten systems: Mg–Bi and Tl–Te
V K Ratti and A B Bhatia 893

On dislocation multiplication *M K Keshavan and P P Gillis* 903

Radio frequency size effect signals at multiple fields *Z Ali, A Myers and R S Thompson* 908

Pressure dependence of T_c for the transition metals: bcc solid solution alloys in the system Zr–Nb–Mo–Re *T F Smith and R N Shelton* 911

Electrodynamically and thermally driven flux flow in type 1 superconductors *R A Lerski* 923

4f band energies in thulium *M M Islam and D J Newman* 939

Theory of inelastic light scattering off itinerant electron ferromagnets *S Coutinho and D R Tilley* 948

Theory of spin glasses *S F Edwards and P W Anderson* 965

Local environment and magnetic properties in transitional binary alloys: I
F Brouers, F Gautier and J van der Rest 975

Local environment and magnetic properties in transitional binary alloys: II
J van der Rest, F Gautier and F Brouers 995

Indirect exchange interaction in a disordered magnet *T Kaneyoshi* 1014

The approach to magnetic order in rhodium–cobalt alloys *H C Jamieson* 1021

Crystallographic and magnetic properties of pseudobinary alloys based on cobalt–platinum
D C Martin 1031

Nuclear energy levels: applications to complex ^{57}Fe Mössbauer spectra
S K Arif, D St P Bunbury, G J Bowden and R K Day 1037

^{57}Fe Mössbauer studies of the $(RE)Fe_3$ intermetallic compounds
S K Arif, D St P Bunbury, G J Bowden and R K Day 1048

Anisotropic electron spin resonance linewidth of a Γ_8 quadruplet in a metal
H K Sy and M B Walker 1064

Effect of pressure on the quadrupole interaction in β gallium metal *R J C Brown and S Segel* 1073

NO 6 JUNE 1975

LETTERS TO THE EDITOR

Migration energies of impurity atoms in cubic metals
O Takai, R Yamamoto, M Doyama and Y Hisamatsu L83

Phonons in metallic glasses *L V Heimendahl and M F Thorpe* L87

Positron trapping model at thermal equilibrium—effect of migration of vacancies
K Kuribayashi and M Doyama L92

Electrical resistivity of Ni–Cr alloys *T F Smith, R J Tainsh, R N Shelton and W E Gardner* L96

Deviations from Matthiessen's rule in cold-worked aluminium *J A Rowlands and S B Woods* L100

Hall mobility of expanded liquid caesium in the metallic propagation region
U Even and W Freyland L104

Helicon–phonon interaction in metals *K S Viswanathan* L107

Determination of the three partial interference functions of an amorphous cobalt–phosphor ferromagnet by polarized-neutron scattering *J Blétry and J F Sadoc* L110

PAPERS

Cd 4d spin–orbit splittings in alloys of Cd and Mg *L A Hisscott and P T Andrews* 1077

Phonon softening and central peak in the quasi one dimensional β tungsten metals *J Ranninger* 1083

Size effects, peaks in concentration fluctuations and liquidus curves of Na–Cs
A B Bhatia and N H March 1100

The Debye temperatures of the face centred cubic metals: I. X ray and neutron diffraction results
R C G Killean and E J Lisher 1107

Limitations on x ray threshold fine structures imposed by the gross structures of emission spectra
J D Dow 1113

Proposal regarding the electronic structure of α'–Ce *H H Hill and E A Kmetko* 1119

Magnetoacoustic quantum oscillation studies in gallium at 9 GHz
N Tepley, N K Batra and R J Thomas 1130

A semiempirical study of the electronic structure of calcium *R A Ballinger and B R Allen* 1135

Electron momentum distribution in nickel and copper employing a renormalized free atom model
D G Kanhere and R M Singru 1146

Correlated potentials for simple metals: aluminium *G Arbmann and U von Barth* 1155

Anisotropic scattering of conduction electrons on point defects in Al
K Böning, K Pfändner, P Rosner and M Schlüter 1176

Orbital magnetism of magnetic impurities *G Malmström and C Blomberg* 1197

Single impurity Kondo effect in gold: I. Thermopower *J Kopp* 1211

First order transitions in ACo_2 compounds *D Bloch, D M Edwards, M Shimizu and J Voiron* 1217

Mechanisms of nuclear acoustic resonance in conductors *J J Niez and P Averbuch* 1227

The boiling points of the rare earth metals *B Johansson* 1241

Corrigenda *D A Smith and G P Haberkern* 1248
A A Cottey 1248

NO 7 JULY 1975

LETTERS TO THE EDITOR

Effects of finiteness of the range of exchange interactions on the surface spin susceptibility of paramagnetic metals — *J P Muscat* L119

The Mössbauer spectrum of strained iron and the quadrupole coupling in α iron — *R C Mercader and T E Cranshaw* L124

PAPERS

The two phonon scattering of x rays in body centred cubic metals — *A V Lahti and E E Lähteenkorva* 1249

On the electronic contribution to the elastic constants of metals — *J W Martin* 1257

Entropies and structure factors of liquid metals — *M Silbert, I H Umar, M Watabe and W H Young* 1262

Theory for the electronic structure at the surface of transition metal alloys — *J L Morán-López, G Kerker and K H Bennemann* 1277

A generalization of MCPN for two and three dimensional disordered systems — *J Slechta* 1285

Empirical form factors for the simple metals — *A J Greenfield and N Wiser* 1289

Work functions of alkali metals — *M M Pant and M P Das* 1301

The Fermi surfaces of dilute copper alloys: I. Experiment — *I M Templeton and P T Coleridge* 1307

The Fermi surfaces of dilute copper alloys: II. Theory — *P T Coleridge* 1317

Temperature dependence of the electrical resistivity of liquid tin between 214°C and 705°C — *M Pokorny and H U Åström* 1327

On the d electron contribution to the electrical conductivity of liquid transition metals — *A ten Bosch and K H Bennemann* 1333

Transport properties, giant moments and nearly magnetic impurities in some nickel alloys near the magnetic transition — *A Amamou, F Gautier and B Loegel* 1342

Low temperature resistance anomalies in single crystals of Tb and Dy — *D A Tindall and M H Jericho* 1359

Nearly free electron theory of the Hall effect — *W Jones* 1365

Surface densities of states in cleaved transition metals — *M C Desjonquères and F Cyrot-Lackmann* 1368

Wavevector dependent susceptibility and dielectric function for copper — *R Prasad, S Auluck and S K Joshi* 1385

On the determination of the exchange integral for magnetic impurities in metals — *B Caroli* 1399

Paramagnetic resonance of Er and Dy in $ScAl_2$ — *R A B Devine, M Poirier and T Cyr* 1407

Mössbauer spectroscopy of rare earth impurities in hexagonal host metals: ZrEr — *J Stöhr, J D Cashion and W Wagner* 1417

Optical properties of calcium in the vacuum ultraviolet — *M R Potter and G W Green* 1426

Optical properties of silver–palladium alloys — *J P Ferraton, G Leveque and S Robin-Kandare* 1433

NO 8 AUGUST 1975

LETTERS TO THE EDITOR

Transport properties of liquid alkaline earth metals
G Cubiotti, E Donato, E S Giuliano, R Ruggeri and A Stancanelli L129

Residual resistivities of dilute Cu–Ir, Au–Ta and Au–Hf alloys *T Toyoda and K Kume* L134

PAPERS

On the effect of pressure and temperature on the effective pair potential in simple metals
J Hafner 1439

The phonon dispersion curves of copper *B L Fielek* 1451

Lattice dynamics of $Pd_{1-x}Fe_x$ system
E Maliszewski, J Sosnowski, S Bednarski, A Czachor and A Holas 1455

Effective Debye temperature *K Ohashi and K Kobayashi* 1466

The Van der Waals interaction between metals *J E Inglesfield and E Wikborg* 1475

Charge density, local density of states and response functions in body centred cubic lithium metal
R C Perrin, R Taylor and N H March 1490

Charge distribution in heterovalent alloys *G G Robinson and P F de Chatel* 1502

The generalized two band model and deviations from Matthiessen's rule in silver alloys *F W Kus* 1512

Phonon drag and the low temperature electrical resistivity of potassium
C R Leavens and M J Laubitz 1519

Calculation of the electronic thermal conductivity of superconducting alloys with paramagnetic impurities *B Leon and A D S Nagi* 1533

An investigation of the resistivity anisotropy in nickel alloys *J W F Dorleijn and A R Miedema* 1543

Phonon-enhanced effective mass from thermopower oscillations in aluminium
B J Thaler and J Bass 1554

Determination of mean free paths in indium from the radio frequency size effect and the peak near zero field *D G de Groot, A B M Hoff and J H P van Weeren* 1559

X ray photoelectron spectroscopy of some Cu–Zn alloys *P T Andrews and L A Hisscott* 1568

Noise voltages produced by flux motion in superconductors *P Jarvis and J G Park* 1573

Structural and magnetic properties of pseudobinary phases in the yttrium–3d transition metal phase diagrams *K N R Taylor and C A Poldy* 1593

The mechanism of magnetization in materials $Sm_{0.167}Co_{0.833-x}Al_x$ *H Oesterreicher* 1607

A phenomenological theory of strongly paramagnetic and weakly ferromagnetic dilute alloys
D M Edwards, J Mathon and E P Wohlfarth 1619

Mössbauer effect and magnetic properties of some Eu–Zn compounds
K H J Buschow, W J Huiskamp, H Th LeFever, F J v Steenwijk and R C Thiel 1625

Orbital moment and electrical field gradient on dilute transitional impurities in iron hosts
C Demangeat 1637

Bloch enhancement of the nuclear quadrupole interaction in aluminium alloys
P M Holtham and P Jena 1649

Distribution of hyperfine fields in a disordered $Ni_{48}Fe_{52}$ alloy by Mössbauer effect
C Bansal, J Ray and G Chandra 1663

The electronic structure and Knight shift of β-Ga *J D Stroud and M J Stott* 1677

Corrigendum *S Kawata* 1676

NO 9 SEPTEMBER 1975

LETTERS TO THE EDITOR

Amorphous vapour-quenched gadolinium–silver alloys
J Popplewell, S W Charles and D D Jenkins L137

Metallic glasses as relaxed Bernal structures
L Heimendahl L141

A comparison between two selfconsistent single-site approximations for liquid metals
F Martino and F Yonezawa L146

On the importance of the core shift in an *ab initio* pseudopotential theory
J Hafner L150

Critical behaviour of the electrical resistivity near the Néel point in antiferromagnetic Cr–Mn alloys
J B Sousa, M R Chaves, M E Braga, M M Reis, M F Pinheiro and M Crisan L155

Optical properties of Ca in the range 2·1–11·5 eV
P O Nilsson and G Forssell L159

PAPERS

The density of states of a one-dimensional binary alloy by continued fractions
N Zaman and R L Jacobs 1677

Investigation of the electronic structure of a glassy $Pd_{0.775}Cu_{0.06}Si_{0.165}$ alloy by angular correlation studies of positron-annihilation radiation
S Y Chuang, S J Tao and H S Chen 1681

Grain boundary contribution to the electrical conductivity of polycrystalline Cu films
Kh M Mannan and Kh R Karim 1687

Gap anisotropy and electron–phonon interaction in dilute Al–Mg alloys *O Rapp and R Fogelholm* 1694

Surface plasmons in metal overlayers
J E Inglesfield and E Wikborg 1706

Superconductivity of $TaS_{2-x}Se_x$ layer compounds at high pressure
T F Smith, R N Shelton and R E Schwall 1713

Densities of states in isolated flux vortices in superconductors
G B Donaldson, D J Brassington and W T Band 1726

Resistivity of spin glasses
N Rivier and K Adkins 1745

Helical magnetic order in Ni_2MnAl
K R A Ziebeck and P J Webster 1756

Magnetostriction of some cubic rare earth–Co_2 compounds in high magnetic fields
A del Moral and D Melville 1767

Single crystal studies of host Knight shifts and electric field gradients of copper dilutely alloyed with transition metal impurities
R Nevald and G Petersen 1778

Temperature dependent hyperfine interactions in the intermetallic compounds YFe_3, $TbFe_3$ and $ErFe_3$
S K Arif, D St P Bunbury and G J Bowden 1785

Crystallographic and Mössbauer investigations of Dy $(Fe_{1-x}Co_x)_3$ and Y$(Fe_{1-x}Co_x)_3$ intermetallic compounds
S K Arif, D St P Bunbury and G J Bowden 1792

NO 10 OCTOBER 1975

LETTERS TO THE EDITOR

Dissociative impurity diffusion by 1-D interstitial migration
F A Huntley L163

The hyperfine field at tellurium impurity sites in the Heusler alloy Pd_2MnSb
G R MacKay, C Blaauw and W Leiper L166

Short-range order and clusters in mictomagnetic MnCu
E M Gray and J H Smith L171

PAPERS

On the role of the orthogonalization hole potential in Harrison's first principles pseudopotential theory — *Paul H Cutler, Richard Day and Walter F King III* 1801

A theoretical determination of the phonon frequencies in metallic lithium — *C F Liu and R A Moore* 1817

Diffusion of silver through epitaxial films of copper and nickel on silver {111}: the formation of an equilibrium layer of silver — *M J Gibson and P J Dobson* 1828

Electronic structure of metals: I. Energy independent model pseudopotential formalism — *C H Woo, S Wang and M Matsuura* 1836

Electronic structure of metals: II. Phonon spectra and Fermi surface distortions — *M Matsuura, C H Woo and S Wang* 1849

Evolution of energy bands from the Au 5d level in Cd–Au alloys — *N J Shevchik* 1860

The effect of planar defects on exchange interactions in ferromagnetic metals — *A P Young and J P Jakubovics* 1866

Energy of formation, band structure and local environment effects in transitional binary alloys — *F Gautier, J Van der Rest and F Brouers* 1884

The use of anisotropic relaxation times for calculating the magnetoconductivity — *J M Daams* 1895

Low angle electron scattering in thermal resistivity — *O J Bressan, A E Ridner and F de la Cruz* 1902

Temperature and field dependent scattering in zinc-based Kondo alloys — *R Harris, B G Mulimani and J O Ström-Olsen* 1910

T_c and its pressure dependence for technetium-based HCP solid solution alloys — *R N Shelton, T F Smith, C C Koch and W E Gardner* 1916

Hyperfine field systematics in Heusler alloys — *C C M Campbell* 1931

Consequences of the persistence of Stoner splitting up to and above T_c for the phase transition and the elementary excitations of ferromagnetic metals — *J B Sokoloff* 1946

The linear T dependence of the specific heat and the saturation of the susceptibility for $T \rightarrow 0$ in dilute magnetic alloys — *Ilan Riess* 1957

Calorimetric studies of the order of magnetic phase transitions in Cr and some Cr alloys at the Néel point — *G Benediktsson, H U Åström and K V Rao* 1966

Isomer shifts in gadolinium compounds having the caesium chloride structure — *J W Ross and J Sigalas* 1973

Knight shift and quadrupole coupling in beta-gallium — *J D Stroud and S L Segel* 1981

Pseudoquadrupole interaction in gallium metal — *S L Segel and J D Stroud* 1986

Single crystal NMR studies of electric field gradient and Knight shift tensors in AlMn and AlCr — *J A R Stiles, N Kaplan and D Ll Williams* 1993

Conduction band density of states of Ag–Pd alloys — *J P Ferraton and S Robin-Kandare* 2003

Final state effects in the photoemission core level and Auger spectra of Ni and Ni alloyed with Zn — *N J Shevchik and C M Penchina* 2008

NO 11 NOVEMBER 1975

LETTERS TO THE EDITOR

Partial structure factors and pair correlation functions for an amorphous magnetic alloy
W P O'Leary L175

An empirical rule concerning the asymmetry of the electric field gradient at a copper nucleus which is nearest neighbour to an impurity in dilute copper alloys *R Nevald* L181

Lattice dynamics of gold *M D Tiwari* L184

Influence of effective mass on pseudopotential theory *W F King III and P H Cutler* L187

Electron density of states of thin copper films *S J Gurman* L194

A calculation of the Coulomb correlation energy U_{ff} for the lanthanide series of rare earth metals
B N Cox and P Lloyd L197

The resistivity and thermoelectric power of solid and liquid palladium
B C Dupree, J B Van Zytveld and J E Enderby L200

Short-range order in dilute iron alloys *Le Dang Khoi, P Veillet and I A Campbell* L203

Soft x ray emission study of the screening of Al impurities in Fe
C M Sayers, N H March, A Dev, D J Fabian and L M Watson L207

Soft x ray threshold shapes extracted from Linde's rule in the optical alchemy approximation
J D Dow, D R Franceschetti, P C Gibbons and S E Schnatterly L211

Cobalt K absorption edge shifts in some of its intermetallic compounds
A R Chetal and P R Sarode L217

Relaxation processes accompanying photoemission from solid cadmium
P Weightman, B T Andrews and L A Hisscott L220

PAPERS

Interatomic potentials for body centred cubic lithium–magnesium alloys
P Beauchamp, R Taylor and V Vitek 2017

Porous surface layers resulting from evaporation of zinc in α-Ag–Zn solid solutions
K G E Brenner and O K Demel 2026

The relaxation-time approximation in the RPA dielectric formulation *Amal K Das* 2035

Use of energy derivative of the radial solution in an augmented plane wave method: application to copper *D D Koelling and G O Arbman* 2041

The electronic structure of transition metal Laves phases *R Haydock and R L Johannes* 2055

The theory of disordered alloys III: Cluster theory and off-diagonal disorder
G Cubiotti, E Donato and R L Jacobs 2068

Theory of alloys: energy-dependent potentials for real alloys *J P R Bolton and P G Dawber* 2079

Energy band structure of beryllium and magnesium *S Chatterjee and P Sinha* 2089

The thermal and electrical conductivities of niobium–65% titanium alloys
N Morton, B W James, G H Wostenholm and S Nuttall 2098

Some measurements of the electrical resistivities of dilute liquid amalgams containing alkali and alkaline-earth elements *D W Ashelby, S Brooks, J S L Leach and J R Moon* 2105

The Hall coefficient of gold–silver alloys *T Dosdale, D Greig and A A M Rashid* 2109

Transverse magnetic susceptibility in the local exchange approximation *J Callaway and C S Wang* 2119

Effect of aluminium on the magnetic moments in ferromagnetic binary alloys *I Vincze and M J Besnus* 2129

Magnetization of disordered cold-worked Fe–Al alloys up to 51 at% Al *M J Besnus, A Herr and A J P Meyer* 2138

The zero-frequency susceptibility of spin glasses and micromagnets *D A Smith* 2148

Magnetic and atomic correlations in dilute copper–manganese alloys *N Ahmed and T J Hicks* 2168

The Hall effect in thin films of chromium, cobalt and nickel *P J Whyman and R V Aldridge* 2176

The temperature dependence of hyperfine fields at impurities in Fe *Le Dang Khoi, P Veillet and I A Campbell* 2184

NMR of ^{27}Al in ferromagnetic iron: the contribution of the conduction electron polarization to the hyperfine field *P C Riedi* 2191

On the electronic structure of LaAg and LaZn *U Goebel, E Dormann and K H J Buschow* 2198

X ray spectroscopic investigation of an ytterbium–gold system *B A Patki, G S Agrawal and V G Kher* 2208

Optical properties of crystalline and amorphous bismuth films *Ola Hunderi* 2214

NO 12 DECEMBER 1975

LETTERS TO THE EDITOR

Internal friction in A15 and C15 superconductors in the temperature range 4–150 K *T R Finlayson, K W Thomson and T F Smith* L225

Positron annihilation in glassy metals *M Doyama, S Tanigawa, K Kuribayashi, H Fukushima, K Hinode and F Saito* L230

Conduction electron polarization of gadolinium metal *L W Roeland, G J Cock, F A Muller, A C Moleman, K A McEwen, R G Jordan and D W Jones* L233

The temperature dependence of the magnetic excitations in the Ni–Fe alloy *J Jankowska, K Mikke, S Warchol, L Adamowicz and A Sukiennicki* L238

The low field static susceptibility of the spin glass $Au_{96}Fe_{04}$ *C N Guy* L242

Nuclear magnetic resonance of holmium in ferrimagnetic Laves phase compounds of rare earths with cobalt *S K Arif and M A H McCausland* L247

PAPERS

Defect energies and linear screening theory in simple metals *M W Finnis* 2227

Volume and electrical resistivity change due to interstitial atoms in platinum *W Hertz and H Peisl* 2241

An image force theorem for a dislocation near a crack in an anisotropic elastic medium *R J Asaro* 2249

Crystal dynamics of the hexagonal metals *J R Maurya and R S Srivastava* 2256

Specific heats of α phase and ζ phase Ag–Al alloys in the range 1·5–4·2 K *U Mizutani and T B Massalski* 2262

Theoretical study of the electronic structure of some cubic intermetallic compounds of dysprosium using the augmented plane wave method *M Belakhovsky, J Pierre and D K Ray* 2274
Off-diagonal disorder and energy of formation in transitional alloys *J van der Rest, F Gautier and F Brouers* 2283
Energy dependence of the electron gas vertex function and its effect on transport properties *M Rasolt* 2294
Theoretical evaluation of the g shift in the alkali metals *R A Moore* 2300
On the calculation of electron–phonon mass enhancement of transition metals in the tight-binding formalism *H Azizi* 2307
Ginzburg–Landau theory of the transition at H_{c_3} in thin film superconductors *J B Parkinson* 2318
Fluctuation specific heat in an inhomogenous superconductor *E Šimánek and J C Hayward* 2330
Phase transition in random superconductors *E Šimánek* 2334
Spin susceptibilities in the theory of itinerant-electron antiferromagnetism: I *W Young* 2343
Effect of H on the paramagnetic resonance of Mn and Pd *R A B Devine, J C H Chiu and M Poirier* 2362
Antiferromagnetic domains in rare earth metals and alloys *S B Palmer* 2370
On the anisotropy in the exchange field experienced by Er ions in the metallic cubic compounds PrSb and TmSb *C Rettori, R Levin and D Davidov* 2379
Nuclear transverse relaxations in ferromagnetic dysprosium metal *Y Berthier and J Barak* 2388
Calculation of optical properties of white tin *M A E A Ament and A R de Vroomen* 2394
Towards an interpretation of optical data from copper-rich CuGa and CuGe alloys *C L Cook, M J Kelly and P V Smith* 2402
Optical properties of single crystal thallium between 0·6 and 5 eV *J H P Castelijns, J P C M Derks and A R de Vroomen* 2407
A valence band study of Ag–Pd alloys using ultraviolet photoelectron spectroscopy *A D McLachlan, J G Jenkin, R C G Leckey and J Liesegang* 2415
Corrigenda *R Prasad, S Auluck and S K Joshi* 2425
J Hafner 2425

SUBJECT INDEX 2427

AUTHOR INDEX (with titles) 2444

Subject index

The 1975 Subject Index is based upon the Physics Abstracts Classification scheme; articles are listed, as appropriate, under one or more of the following headings:

7.000 CONDENSED MATTER: STRUCTURE, THERMAL AND MECHANICAL PROPERTIES
7.100 STRUCTURE OF LIQUIDS AND SOLIDS: CRYSTALLOGRAPHY
7.110 Techniques for structure determination
7.120 Liquids
7.140 Amorphous and polymeric materials
7.150 Crystalline state
7.154 *Crystal binding*
7.155 *Specific structures: metals and alloys*
7.160 Defects in crystals
7.162 *Point defects*
7.166 *Dislocations*
7.168 *Stacking faults and other planar defects*
7.170 Crystal impurities
7.180 Radiation damage and other irradiation effects
7.200 MECHANICAL AND ACOUSTIC PROPERTIES
7.220 Mechanical properties of solids
7.240 Anelasticity, internal friction, mechanical resonances
7.270 Ultrasonic absorption
7.300 LATTICE DYNAMICS
7.320 General theory
7.340 Phonons and vibrations in crystal lattices
7.380 Vibrational states in disordered systems
7.390 Thermal and statistical properties of lattices
7.400 EQUATIONS OF STATE, PHASE EQUILIBRIA, PHASE TRANSITIONS
7.500 THERMAL PROPERTIES OF SOLIDS
7.600 TRANSPORT PROPERTIES (NON ELECTRONIC)
7.800 SURFACES AND INTERFACES; THIN FILMS AND WHISKERS

8.000 CONDENSED MATTER: ELECTRICAL, MAGNETIC AND OPTICAL PROPERTIES
8.100 ELECTRON STATES
8.110 General theories and computational techniques
8.120 Electronic density of states determinations
8.130 Nonlocalized, single particle electronic states
8.132 *Electron energy states in liquid metals and alloys*
8.134 *Electron energy states in amorphous solids*
8.136 *Band structure and Fermi surface of solid metals and alloys*
8.140 Localized electron states
8.160 Impurity and defect levels: positron states
8.170 Polarons, excitons and other excitations
8.200 ELECTRICAL TRANSPORT
8.210 Electronic conduction in metals and alloys
8.212 *Electrical and thermal conduction in crystalline metals*
8.214 *Electrical and thermal conduction in amorphous and liquid metals and alloys*
8.216 *Galvanomagnetic and thermoelectric effects*
8.218 *Relaxation times and mean free paths*
8.230 High frequency effects
8.250 Acoustoelectric effects
8.300 ELECTRICAL PROPERTIES OF SURFACES, INTERFACES AND THIN FILMS
8.320 Surfaces
8.360 Thin films
8.400 SUPERCONDUCTIVITY
8.420 Equilibrium properties
8.430 Nonequilibrium and transport properties
8.440 Tunnelling and coupled superconductors
8.500 MAGNETIC PROPERTIES AND MATERIALS
8.510 General theory and models of magnetic ordering
8.520 Diamagnetism and paramagnetism
8.524 *Metals and alloys*
8.526 *Local moments in dilute alloys, Kondo effect*
8.530 Magnetically ordered materials, intrinsic properties
8.531 *Saturation moments and magnetic susceptibility*
8.532 *Exchange and superexchange interactions*
8.533 *Magnetic impurity interactions*

M.P. 5/12—8

8.534 *Critical point effects, specific heats, short range order, magnetic transitions*
8.535 *Spin arrangements*
8.536 *Spin waves*
8.537 *Anisotropy*
8.540 Studies of specific magnetic materials
8.542 *Ferromagnetics*
8.550 Domain effects, magnetization curves, hysteresis
8.560 Thin films
8.570 Magnetomechanical effects, magnetostriction
8.600 MAGNETIC RESONANCE AND RELAXATION, MÖSSBAUER EFFECT
8.610 General theory of resonance and relaxation
8.630 Electron spin resonance and relaxation
8.650 Ferromagnetic, antiferromagnetic and ferrimagnetic resonance: spin wave resonance
8.660 Nuclear magnetic resonance and relaxation
8.662 *Chemical and Knight shift*
8.666 *Quadrupole resonances*
8.680 Mössbauer effect: other γ ray spectroscopy
8.800 OPTICAL PROPERTIES AND CONDENSED MATTER SPECTROSCOPY
8.810 Optical properties and materials
8.820 Optical spectra
8.850 Other spectra and interactions between radiation and matter
8.860 Optical properties of thin films
8.900 ELECTRON AND ION EMISSION BY LIQUIDS AND SOLIDS AND IMPACT PHENOMENA

9.000 INTERDISCIPLINARY SUBJECTS
9.100 MATERIALS SCIENCE AND METALLURGY
9.120 Physical metallurgy

7.000 CONDENSED MATTER: STRUCTURE, THERMAL AND MECHANICAL PROPERTIES

7.100 STRUCTURE OF LIQUIDS AND SOLIDS: CRYSTALLOGRAPHY

7.110 Techniques for structure determination

Amorphous vapour-quenched gadolinium–silver alloys *J Popplewell, S W Charles and D D Jenkins* FL137

Partial structure factors and pair correlation functions for an amorphous magnetic alloy *W P O'Leary* FL 175

A RHEED study of the epitaxial growth of antimony on tungsten (112) *B J Hopkins and G D Watts* F342

Structural and magnetic properties of $Co_2Ga_{2-x}Ti_x$ alloys *J G Booth and R G Pritchard* F347

L absorption spectra of ^{57}La to ^{63}Eu in their oxides *M S Kushwaha, B D Srivastava and V S Dubey* F597

Observations of the epitaxial growth of nickel and copper on (111) silver *M J Gibson and P J Dobson* F864

The Debye temperatures of the face centred cubic metals: I. X ray and neutron diffraction results *R C G Killean and E J Lisher* F1107

The two-phonon scattering of x rays in body centred cubic metals *A V Lahti and E E Lähteenkorva* F1249

7.120 Liquids

Size effects, peaks in concentration fluctuations and liquidus curves of Na–Cs *A B Bhatia and N H March* F1100

Entropies and structure factors of liquid metals *M Silbert, I H Umar, M Watabe and W H Young* F1262

On the effect of pressure and temperature on the effective pair potential in simple metals *J Hafner* F1439

On the effect of pressure and temperature on the effective pair potential in simple metal (corrigendum) *J Hafner* F2425

7.140 Amorphous and polymeric materials

Metallic glasses as relaxed Bernal structures *L Heimendahl* FL141

Partial structure factors and pair correlation functions for an amorphous magnetic alloy *W P O'Leary* FL175

Investigation of the electronic structure of a glassy $Pd_{0.775}Cu_{0.06}Si_{0.165}$ alloy by angular correlation studies by positron–annihilation radiation *S Y Chuang, S J Tao and H S Chen* F1681

7.150 Crystalline state

7.154 Crystal binding

Lattice dynamics of rubidium *A Rosengren and B Johansson* F629

Interatomic potentials for body centred cubic lithium–magnesium alloys *P Beauchamp, R Taylor and V Vitek* F2017

7.155 Specific structures: metals and alloys

The volume difference between ^{6}Li and ^{7}Li *B Johansson and A Rosengren* FL15

Atomic short range order in CuFe alloys *S J Campbell and T J Hicks* F27

Structural and magnetic properties of $Co_2Ga_{2-x}Ti_x$ alloys *J G Booth and R G Pritchard* F347

Crystallographic and magnetic properties of pseudobinary alloys based on cobalt–platinum *D C Martin* F1031

On the effect of pressure and temperature on the effective pair potential in simple metals *J Hafner* F1439

Structural and magnetic properties of pseudobinary phases in the yttrium–3d transition metal phase diagrams *K N R Taylor and C A Poldy* F1593

Crystallographic and Mössbauer investigations of $Dy(Fe_{1-x}Co_x)_3$ and $Y(Fe_{1-x}Co_x)_3$ intermetallic compounds *S K Arif, D St P Bunbury and G J Bowden* F1792

The electronic structure of transition metal Laves phases *R Haydock and R L Johannes* F2055

On the effect of pressure and temperature on the effective pair potential in simple metal (corrigendum) *J Hafner* F2425

7.160 Defects in crystals

7.162 Point defects

Fridel's rule for a pair of defects in transition or noble metals *J C Parlebas, C Demangeat and F Gautier* FL18

Energetics of single vacancy in alkali metals using the improved screening theory *Shashikala G Das, P V S Rao and P Vashishta* FL35

Migration energies of impurity atoms in cubic metals *O Takai, R Yamamoto, M Doyama and Y Hisamatsu* FL83
Anderson model approach to a system containing a vacancy and an impurity atom *K Masuda* F205
Influence of magnesium additions on the low temperature recovery stages in neutron irradiated aluminium *C Dimitrov, F Moreau and O Dimitrov* F385
Interstitial trapping and detrapping in electron irradiated dilute copper alloys *F Dworschak, R Lennartz and H Wollenberger* F400
Volume and electrical resistivity change due to vacancies in platinum *W Hertz and H Peisl* F604
Many electron correlation effect on the energies and configuration of lattice defects in simple metals: Single vacancies *P V S Rao* F843
Anisotropic scattering of conduction electrons on point defects in Al *K Böning, K Pfändner, P Rosner and M Schlüter* F1176
Volume and electrical resistivity change due to interstitial atoms in platinum *W Hertz and H Peisl* F2241
Defect energies and linear screening theory in simple metals *M W Finnis* F2227

7.166 Dislocations
Core structure of non screw ½⟨111⟩ dislocations on {112} planes of BCC crystals: I. Core structure in an unstressed crystal *M Yamaguchi and V Vitek* F1
Core structure of non screw ½⟨111⟩ dislocations on {112} planes of BCC crystals: II. Peierls stresses and the effects of an external shear stress on the cores *M Yamaguchi and V Vitek* F11
A compilation of dislocation tractions in anisotropic cubic metals *D J Bacon and R O Scattergood* F193
On dislocation multiplication *M K Keshavan and P P Gillis* F903
An image force theorem for a dislocation near a crack in an anisotropic elastic medium *R J Asaro* F2249

7.168 Stacking faults and other planar defects
Many electron correlation effects on the energies and configuration of lattice defects in simple metals: Stacking faults *P V S Rao* F611
Dissociative impurity diffusion by 1-D interstitial migration *F A Huntley* FL163
An empirical rule concerning the asymmetry of the electric field gradient at a copper nucleus being nearest neighbour to an impurity in dilute copper alloys *R Nevald* FL181

7.170 Crystal impurities
Electromagnetic detection of ultrasonic shear waves in superconducting tin *R L Thomas, M J Lea, E Sendezera and E R Dobbs* FL21

7.180 Radiation damage and other irradiation effects
Influence of magnesium additions on the low temperature recovery stages in neutron irradiated aluminium *C Dimitrov, F Moreau and O Dimitrov* F385
Interstitial trapping and detrapping in electron irradiated dilute copper alloys *F Dworshak, R Lennartz and H Wollenberger* F400

7.200 MECHANICAL AND ACOUSTIC PROPERTIES

7.220 Mechanical properties of solids
Analysis of Young's modulus in the polycrystalline Cu–Ni alloy with the theory for Nordheim's rule *E Iguchi and K Udagawa* F214
The effect of a long range oscillatory interaction on the stability of alloys: II. HCP structures *C S G Cousins* F227
Two dimensional elastic Green function for a cracked anisotropic body *J E Sinclair and J P Hirth* F236
On the electronic contribution to the elastic constants of metals *J W Martin* F1257
On the effect of pressure and temperature on the effective pair potential in simple metals *J Hafner* F1439
An image force theorem for a dislocation near a crack in an anisotropic elastic medium *R J Asaro* F2249
On the effect of pressure and temperature on the effective pair potential in simple metals (corrigendum) *J Hafner* F2425

7.240 Anelasticity, internal friction, mechanical resonances
Internal friction in A15 and C15 superconductors in the temperature range 4–150 K *T R Finlayson, K W Thomson and T F Smith* FL225

7.270 Ultrasonic absorption
Ultrasonic attenuation in superconductors: theory of the effect of scattering of electrons by thermal phonons *E M Forgan* F515

7.300 LATTICE DYNAMICS

7.320 General theory

On the importance of the core shift in an *ab initio* pseudopotential theory *J Hafner* FL150

Influence of effective mass on pseudopotential theory *W F King III and P H Cutler* FL187

Perturbation theory and three-body forces in HCP metals *C M Bertoni, O Bisi, C Calandra and F Nizzoli* F419

On the role of the orthogonalization hole potential in Harrison's first principles pseudopotential theory *P H Cutler, R Day and W F King III* F1801

Crystal dynamics of the hexagonal metals Be, Mg and Zn *J R Maurya and R S Srivastava* F2256

7.340 Phonons and vibrations in crystal lattices

On the importance of the core shift in an *ab initio* pseudopotential theory *J Hafner* FL150

Lattice dynamics of gold *M D Tiwari* FL184

Influence of effective mass on pseudopotential theory *W F King III and P H Cutler* FL187

Lattice dynamics of noble and transition metals *B L Fielek* F17

The lattice dynamics of metals using the Shaw model potential *J A Reissland and O Ese* F110

A simple theory of the phonon contribution to the electron–phonon mass enhancement *I F Foulkes and I R Gomersall* F153

Lattice dynamics of rubidium *A Rosengren and B Johansson* F629

Lattice dynamics of noble and transition metals (corrigendum) *B L Fielek* F836

Phonon softening and central peak in the quasi-one-dimensional β tungsten metals *J Ranninger* F1083

The Debye temperatures of the face centred cubic metals: I. X ray and neutron diffraction results *R C G Killean and E J Lisher* F1107

The two phonon scattering of x rays in body centred cubic metals *A V Lahti and E E Lähteenkorva* F1249

The phonon dispersion curves of copper *B L Fielek* F1451

Lattice dynamics of $Pd_{1-x}Fe_x$ systems *E Maliszewski, J Sosnowski, S Bednarski, A Czachor and A Holas* F1455

Phonon drag and the low temperature electrical resistivity of potassium *C R Leavens and M J Laubitz* F1519

On the role of the orthogonalization hole potential in Harrison's first principles pseudopotential theory *P H Cutler, R Day and W F King III* F1801

A theoretical determination of the phonon frequencies in metallic lithium *C F Liu and R A Moore* F1817

Electronic structure of metals: II. Phonon spectra and Fermi surface distortions *M Matsuura, C H Woo and S Wang* F1849

7.380 Vibrational states in disordered systems

Phonons in metallic glasses *L V Heimendahl and M F Thorpe* FL87

7.390 Thermal and statistical properties of lattices

On the role of the orthogonalization hole potential in Harrison's first principle pseudopotential theory *P H Cutler, R Day and W F King III* F1801

Calorimetric studies of the order of magnetic phase transitions in Cr and some Cr alloys at the Néel point *G Benediktsson, H U Åström and K V Rao* F1966

7.400 EQUATIONS OF STATE, PHASE EQUILIBRIA, PHASE TRANSITIONS

The boiling points of rare earth metals *B Johansson* F1248

Effective Debye temperature *K Ohashi and K Kobayashi* F1466

7.500 THERMAL PROPERTIES OF SOLIDS

The low temperature specific heat and magnetization of binary alloys of nickel with titanium, vanadium, chromium and manganese *I P Gregory and D E Moody* F36

The low temperature specific heat of hexagonal cobalt in a magnetic field *P C Lanchester, N F Whitehead, P Wells and R G Surlock* F247

The Debye temperatures of the face centred cubic metals: I. X ray and neutron diffraction results *R C G Killean and E J Lisher* F1107

Entropies and structure factors of liquid metals *M Silbert, I H Umar, M Watabe and W H Young* F1262
Specific heats of α phase and ζ phase Ag–Al alloys in the range 1·5–4·2 K *U Mizutani and T B Massalski* F2262
Fluctuation specific heat in an inhomogeneous superconductor *E Šimánecк and J C Hayward* F2330

7.600 TRANSPORT PROPERTIES (NON ELECTRONIC)

Electromagnetic detection of ultrasonic shear waves in superconducting tin *R L Thomas, M J Lea, E Sendezera and E R Dobbs* FL21
Dissociative impurity diffusion by 1-D interstitial migration *F A Huntley* FL163
Theory of the diffusion of heavy impurities in alkali metals *H Schober, R Taylor, M J Norgett and A M Stoneham* F637

7.800 SURFACES AND INTERFACES; THIN FILMS AND WHISKERS

Amorphous vapour-quenched gadolinium–silver alloys *J Popplewell, S W Charles and D D Jenkins* FL137
A RHEED study of the epitaxial growth of antimony on tungsten (112) *B J Hopkins and G D Watts* F342
Observations of the epitaxial growth of nickel and copper on (111) silver *M J Gibson and P J Dobson* F864
Diffusion of silver through epitaxial films of copper and nickel on silver {111}: the formation of an equilibrium layer of silver *M J Gibson and J Dobson* F1828
Porous surface layers resulting from evaporation of zinc in α-Ag–Zn solid solution *K G E Brenner and O K Demel* F2026

8.000 CONDENSED MATTER: ELECTRICAL, MAGNETIC AND OPTICAL PROPERTIES

8.100 ELECTRON STATES

8.110 General theories and computational techniques

Energetics of single vacancy in alkali metals using the improved screening theory *Shaskiala G Das, P V S Rao and P Vashista* FL35
On the importance of the core shift in an *ab initio* pseudopotential theory *J Hafner* FL150
Anderson model approach to a system containing a vacancy and an impurity atom *K Masuda* F205
Local model pseudopotential for noble metals *Shankar Lal, A Paskin and F Leoni* F697
Correlated potentials for simple metals: aluminium *G Arbmann and U Von Barth* F1155
Entropies and structure factors of liquid metals *M Silbert, I H Umar, M Watabe and W H Young* F1262
Theory for the electronic structure of the surface of transition metal alloys *J L Morán-Lopéz, G Kerker and K H Bennemann* F1277
A generalization of MCPN for two and three dimensional disordered systems *J Slechta* F1285
Empirical form factors for the simple metals *A J Greenfield and N Wiser* F1289
The Van der Waals interaction between metals *J E Inglesfield and E Wikborg* F1475
Electronic structure of metals: I. Energy independent model pseudopotential formalism *C H Woo, S Wang and M Matsuura* F1836
Use of energy derivative of the radial solution in an augmented plane wave method: application to copper *D D Koelling and G O Arbmann* F2041
Theoretical study of the electronic structure of some cubic intermetallic compounds of dysprosium using the augmented plane wave method *M Belakhovsky, J Pierre and D K Ray* F2274

8.120 Electronic density of states determinations

A comparison between two selfconsistent single-site approximations for liquid metals *F Martino and F Yonezawa* FL146
Electron density of states of thin copper films *S J Gurman* FL194
On the theories of local environment effect in disordered alloys *F Brouers and F Duscastelle* F45
On the electronic structure and Fermi surface of YZn alloy *A Breeze and P G Perkins* F255
A simple model for B_{c_2} in A15 materials and the effects of disorder *R E Somekh* F713
Cd 4d spin–orbit splittings in alloys of Cd and Mg *L A Hisscott and P T Andrews* F1077
Work functions of alkali metals *M M Pant and M P Das* F1301

Charge density, local density of states and response functions in body centred cubic lithium metal *R C Perrin, R Taylor and N H March* F1490
Charge distribution in heterovalent alloys *G G Robinson and P F de Chatel* F1502
The density of states of a one-dimensional binary alloy by continued fractions *N Zaman and R L Jacobs* F1677
Densities of states in isolated flux vortices in superconductors *G B Donaldson, D J Brassington and W T Band* F1726
The electronic structure of transition metal Laves phases *R Haydock and R L Johannes* F2055
The theory of disordered alloys III: Cluster theory and off-diagonal disorder *G Cubiotti, E Donato and R Jacobs* F2068
Off-diagonal disorder and energy in formation in transitional alloys *J van der Rest, F Gautier and F Brouers* F2283

8.130 Nonlocalized, single particle electronic states

8.132 Electron energy states in liquid metals and alloys

An attempt to eliminate a bone of contention about the optical properties of liquid mercury: Quantitative estimate of the Pauli-forbidden transition *T Kobayashi and M Watabe* FL1
Electronic structure of liquid metals and alloys in the tight binding approximation II *B Movaghar and D Miller* F261
On the coherent potential approximation for liquid metals *F Yonezawa, L M Roth and M Watabe* F435

8.134 Electron energy states in amorphous solids

A generalization of MCPN for two and three dimensional disordered systems *J Slechta* F1285
The theory of disordered alloys III: Cluster theory and off-diagonal disorder *G Cubiotti, E Donato and R Jacobs* F2068

8.136 Band structure and Fermi surface of solid metals and alloys

A calculation of the coulomb correlation energy U_{ff} for the lanthanide series of rare earth metals *B N Cox and P Lloyd* FL197
Soft x ray emission study of the screening of Al impurities in Fe *C M Sayers, N H March, A Dev, D J Fabian and L M Watson* FL207
Positron annihilation in glassy metals *M Doyama, S Tanigawa, K Kuribayashi, H Fukushima, K Hinode and S Fuyuki* FL230
The low temperature specific heat and magnetization of binary alloys of nickel with titanium, vanadium, chromium and manganese *I P Gregory and D E Moody* F36
Structure independent properties of expanded crystalline mercury *M A C Devillers and R G Ross* F73
Positron annihilation in polycrystalline Al and Th-angular distribution *T Nagarajan, P Ramasamy, K Iyakutti and V Devanathan* F81
On the electronic structure and Fermi surface of YZn alloys *A Breeze and P G Perkins* F255
The KVV Auger spectrum of lithium metal *A J Jackson, C Tate, T E Gallon, P J Bassett and J A D Matthews* F363
Band theory of one-dimensional superlattices *A A Cottey* F443
Hall coefficient of beryllium *I Shiozaki* F451
Reformulation of the g shift in metals starting with the Pauli equation *R A Moore* F459
Equivalence of resonance and tight binding descriptions of the d band in transition metals *J A Moriarty* F873
The band structure in monoclinic β-Ga *O Hunderi* F883
4f band energies in thulium *M M Islam and D J Newman* F939
Proposal regarding the electronic structure of α'-Ce *H H Hill and E A Kmetko* F1119
Magnetoacoustic quantum oscillation studies in gallium at 9 GHz *N Tepley, N K Batra and R L Thomas* F1130
A semiempirical study of the electronic structure of calcium *R A Ballinger and B R Allen* F1135
Electron momentum distribution in nickel and copper employing a renormalized free atom model *D G Kanhere and R M Singru* F1146
Correlated potentials for simple metals: aluminium *G Arbmann and U von Barth* F1155
Anisotropic scattering of conduction electrons on point defects in Al *K Böning, K Pfändner, P Rosner and M Schlüter* F1176
Band theory of one-dimensional superlattices (corrigendum) *A A Cottey* F1248
Empirical form factors for the simple metals *A J Greenfield and N Wiser* F1289
The Fermi surfaces of dilute copper alloys: I. Experiment *I M Templeton and P T Coleridge* F1307
The Fermi surfaces of dilute copper alloys: II. Theory *P T Coleridge* F1317
Phonon-enhanced effective mass from thermopower oscillations in aluminium *B J Thaler and J Bass* F1554

X ray photoelectron spectroscopy of some Cu–Zn alloys *P T Andrews and L A Hisscott* F1568
The electronic structure and Knight shift of β-Ga *J D Stroud and J Stott* F1667
Investigation of the electronic structure of a glassy $Pd_{0\cdot775}Cu_{0\cdot06}Si_{0\cdot165}$ alloy by angular correlation studies by positron-annihilation radiation *S Y Chuang, S J Tao and H S Chen* F1681
Electronic structure of metals: II. Phonon spectra and Fermi surface distortions *M Matsuura, C H Woo and S Wang* F1849
Evolution of energy bands from the Au5d level in Cd–Au alloys *N J Shevchik* F1860
Energy of formation band structure and local environment effects in transitional binary alloys *F Gautier, J Van der Rest and F Brouers* F1884
Interatomic potentials for body centred cubic lithium–magnesium alloys *P Beauchamp, R Taylor and V Vitek* F2017
The relaxation-time approximation in the RPA dielectric formulation *Amal K Das* F2035
Theory of alloys: energy dependent potentials for real alloys *J P R Bolton and P G Dawber* F2079
Energy band structure of beryllium and magnesium *S Chatterjee and P Sinha* F2089
Energy dependence of the electron gas vertex function and its effect on transport properties *M Rasolt* F2294
Theoretical evaluation of the *g* shift in the alkali metals *R A Moore* F2300
On the calculation of electron–phonon mass enhancement of transition metals in the tight-binding formalism *H Azizi* F2307
A valence band study of Ag–Pd alloys using ultraviolet photoelectron spectroscopy *A McLachlan, J Jenkin, R Leckey and J Liesegang* F2415

8.140 Localized electron states

A study of the virtual bound state dielectric constant *D Beaglehole* F657
X ray emission studies of the electron structure of Ni atoms in nickel–aluminium alloys *E J Suoninen and T V O Valkonen* F837
Orbital magnetism of magnetic impurities *G Malmström and C Blomberg* F1197
Spin–orbit interactions in dilute magnetic alloys: I. Induced spin anisotropy and its effect on the electrical resistance (corrigendum to 1973 paper) *D A Smith and G P Haberkern* F1248
Charge distribution in heterovalent alloys *G G Robinson and P F De Chatel* F1502
The effect of planar defects on exchange interactions in ferromagnetic metals *A P Young and J P Jackubovics* F1866
On the electronic structure of LaAg and LaZn *U Goebel, E Dormann and K H J Buschow* F2198

8.160 Impurity and defect levels: positron states

Positron trapping model at thermal equilibrium—effect of migration of vacancies *K Kuribayashi and M Doyama* FL92
Temperature dependence of positron vacancy trapping in the Feynman polaron model *T McMullen and B Hede* F669

8.170 Polarons, excitons and other excitations

Behaviour of collective volume excitations in aluminium near the 'critical wavevector' (transition into single particle excitation) *P Zacharias* F645
Temperature dependence of positron vacancy trapping in the Feynman polaron model *T McMullen and B Hede* F669
Limitations on x ray threshold fine structures imposed by the gross structures of emission spectra *J D Dow* F1113
The Van der Waals interaction between metals *J E Inglesfield and E Wikborg* F1475

8.200 ELECTRICAL TRANSPORT

8.210 Electronic conduction in metals and alloys

Electrical resistivity of Ni–Cr alloys *T F Smith, R J Tainsh, R N Shelton and W E Gardner* FL96
The resistivity and thermoelectric power of gold and liquid palladium *B C Dupree, J B Van Zytveld and J Enderby* FL200
Soft x ray threshold shapes extracted from Linde's rule in the optical alchemy approximation *J D Dow, D R Franceschetti, P C Gibbons and S E Schnatterly* FL211
The electrical resistivity of niobium and niobium–zirconium alloys *N Morton, B W James, G H Wostenholm and R J Nichols* F85
Electrical resistivity due to interstitial oxygen in the system TiO_c ($0 \leqslant c \leqslant 0{\cdot}5$) *A Filion, J P Nérou and P-E Girard* F468
A study of the virtual bound state dielectric constant *D Beaglehole* F657

Single impurity Kondo effect in gold: I. Thermopower *J Kopp* F1211
Temperature dependence of the electrical resistivity of liquid tin between 214°C and 705°C *M Pokorny and H U Åström* F1327
Grain boundary contribution to the electrical conductivity of polycrystalline Cu films *Kh M Mannan and Kh R Karim* F1687
The use of anisotropic relaxation times for calculating the magnetoconductivity *J M Daams* F1895

8.212 Electrical and thermal conduction in crystalline metals
Deviations from Matthiessen's rule in coldworked aluminium *J A Rowlands and S B Woods* FL100
Critical behaviour of the electrical resistivity near the Néel point in antiferromagnetic Cr–Mn alloys *J B Sousa, M R Chaves, M E Braga, M M Reis, M F Pinheiro and M Crisan* FL155
Resistivity of lanthanum, praseodymium and praseodymium–terbium alloys in d-hex phase *H Krizek* F56
The contribution of lattice vibrations to the dielectric function $\epsilon(q, \omega)$ of metals *H Hinkelmann* F93
Magnetic and electrical properties of very dilute Zn–3d alloys *A E Bell and A D Caplin* F143
Analysis of Young's modulus in the polycrystalline Cu–Ni alloy with the theory for Nordheim's rule *E Iguchi and K Udagawa* F214
T^5 law and Mattheissen's rule *O J Bressan, A E Ridner and F de la Cruz* F481
A quantitative investigation of the two current conduction in nickel alloys *J W F Dorleijn and A R Miedema* F487
Magnetic transitions in the chromium–iron system *B Loegel* F497
Volume and electrical resistivity change due to vacancies in platinum *W Hertz and H Peisl* F604
The low temperature electrical resistivity of high purity Ag and Ag-based alloys *A J Barber and A D Caplin* F679
Spontaneous anisotropy of the electrical resistivity of Ni *G Dedié* F706
Transport properties giant moments and nearly magnetic impurities in some nickel alloys near the magnetic transition *A Amamou, F Gautier and B Loegel* F1342
Low temperature resistance anomalies in single crystals of Tb and Dy *D A Tindall and M H Jericho* F1359
The generalized two-band model and deviations from Matthiessen's rule in silver alloys *F W Kus* F1512
Gap anisotropy and electron–phonon interaction in dilute Al–Mg alloys *Osten Rapp and Rabbe Fogelholm* F1694
Temperature and field dependent scattering in zinc-based Kondo alloys *R Harris, B G Mulimani and J O Ström-Olsen* F1910
The thermal and electrical conductivities of niobium–65% titanium alloys *N Morton, B W James, G H Wostenholme and S Nuttall* F2098
The Hall coefficient of gold–silver alloys *T Dosdale, D Greig and A A M Rashid* F2109
Volume and electrical resistivity change due to interstitial atoms in platinum *W Hertz and H Peisl* F2241
Energy dependence of the electron gas vertex function and its effect on transport properties *M Rasolt* F2294

8.214 Electrical and thermal conduction in amorphous and liquid metals and alloys
Transport properties of liquid alkaline earth metals *G Cubiotti, E Donato, E S Guiliano, R Ruggeri and A Stancanelli* FL129
Residual resistivities of dilute Cu–Ir, Au–Ta and Au–Hf alloys *T Toyoda and K Kume* FL134
Electronic properties of liquid Li–Mg *J B Van Zytveld* F506
The electrical resistivity of liquid barium *H-J Güntherodt, E Hauser and H U Künzi* F889
Electrical properties of compound forming molten systems: Mg–Bi and Tl–Te *V K Ratti and A B Bhatia* F893
Spin–orbit interactions in dilute magnetic alloys: I. Induced spin anisotropy and its effects on the electrical resistance (corrigendum to 1973 paper) *D A Smith and G P Haberkern* F1248
Phonon drag and the low temperature electrical resistivity of potassium *C R Leavens and M J Laubitz* F1519
Calculation of the electronic thermal conductivity of superconducting alloys with paramagnetic impurities *B Leon and A D S Nagi* F1533
An investigation of the resistivity anisotropy in nickel alloys *J W F Dorleijn and A R Miedema* F1543
Phonon-enhanced effective mass from thermopower oscillations in aluminium *B J Thaler and J Bass* F1574
Low angle electron scattering in thermal resistivity *O J Bressan, A E Rinder and F de la Cruz* F1902

Some measurements of the electrical resistivities of dilute liquid amalgams containing alkali and alkaline-earth elements *D W Ashelby, S Brooks, J S L Leach and J R Moon* F2105
On the calculation of electron–phonon mass enhancement of transition metals in the tight-binding formalism *H Azizi* F 2307

8.216 Galvanomagnetic and thermoelectric effects
Hall mobility of expanded liquid caesium in the metallic propagation region *U Even and W Freyland* FL104
The thermoelectric power of alloys—a modified Nordheim–Gorter relation *R D Barnard* F99
Hall coefficient of beryllium *I Shiozaki* F451
Electronic properties of liquid Li–Mg *J B Van Zytveld* F506
Anisotropic scattering of conduction electrons on point defects in Al *K Böning, K Pfändner, P Rosner and M Schlüter* F1176
On the d electron contribution to the electrical conductivity of liquid transition metals *A ten Bosch and K H Bennemann* F1333
Nearly free electron theory of the Hall effect *W Jones* F1365

8.218 Relaxation times and mean free paths
Ultrasonic attenuation in superconductors: theory of the effect of scattering of electrons by thermal phonons *E M Forgan* F515
Radio frequency size effect signals at multiple fields *Z Ali, A Myers and R S Thompson* F908
Anisotropic scattering of conduction electrons on point defects in Al *K Böning, K Pfändner, P Rosner and M Schlüter* F1176
Determination of mean free paths in indium from the radio frequency size effect and the peak near zero field *D G de Groot, A B M Hoff and J H P van Weeren* F1559

8.230 High frequency effects
Helicon–phonon interaction in metals *K S Viswanathan* FL107
Behaviour of collective volume excitations in aluminium near the 'critical wavevectors' (transition into single particle excitation) *P Zacharias* F645

8.250 Acoustoelectric effects
Helicon–phonon interaction in metals *K S Viswanathan* FL107
Mechanisms in nuclear acoustic resonance in conductors *J J Niez and P Averbuch* F1227

8.300 ELECTRICAL PROPERTIES OF SURFACES, INTERFACES AND THIN FILMS

8.320 Surfaces
Theory for the electronic structure of the surface of transition metal alloys *J L Morán-López, G Kerker and K H Bennemann* F1277
Work functions of alkali metals *M M Pant and M P Das* F1301
Surface densities of states in cleaved transition metals *M C Desjonquères and F Cyrot-Lackmann* F1368
The Van der Waals interaction between metals *J E Inglesfield and E Wikborg* F1475

8.360 Thin films
Size dependence of the image potential (corrigendum to 1974 Letter to the Editor) *M Cini* FL42
A note on the Sondheimer size effect in aluminium *T Amundsen, B Berbom and H G Bratsberg* FL43
Grain boundary contributions to the electrical conductivity of polycrystalline Cu films *Kh M Mannan and Kh R Karim* F1687
Surface plasmons in metal overlayers *J E Inglesfield and E Wikborg* F1706

8.400 SUPERCONDUCTIVITY
Internal friction in A15 and C15 superconductors in the temperature range 4–150 K *T R Finlayson, K W Thomson and T F Smith* FL225
Acoustic surface wave study of critical magnetic fields of superconducting Fe/Pb sandwiches *G N Bishop* F278
Pressure dependence of T_c for the transition metals: BCC solid solution alloys in the system Zr–Nb–Mo–Re *T F Smith and R N Shelton* F911
Gap anisotropy and electron–phonon interaction in dilute Al–Mg alloys *Osten Rapp and Rabbe Fogelholm* F1694
Superconductivity of $TaS_{2-x}Se_x$ layer compounds at high pressure *T F Smith, R N Shelton and R E Schwall* F1713
T_c and its pressure dependence for technetium-based HCP solid solution alloys *R N Shelton, T F Smith, C C Koch and W E Gardner* F1916

8.420 Equilibrium properties
Ultrasonic attenuation in superconductors: theory of the effect of scattering of electrons by thermal phonons *E M Forgan* F515

On the calculation of electron–phonon mass enhancement of transition metals in the tight-binding formalism *H Azizi* F2307

8.430 Nonequilibrium and transport properties

Interpolation scheme for the Kondo condensation applied to the study of its effect on the transition temperature of a superconductor *J J Prejéan, J Souletie and J Teixeria* FL6

The electrical resistivity of niobium and niobium–zirconium alloys *N Morton, B W James, G H Wostenholm and R J Nichols* F85

Spiral fluxlines in irreversible superconducting cylinders *W E Timms and D G Walmsley* F287

Paraconductivity of superconductors in magnetic fields *G R Féat and G Rickayzen* F307

Electrodynamically and thermally driven flux flow in type I superconductors *R A Lerski* F923

Calculation of the electronic thermal conductivity of superconducting alloys with paramagnetic impurities *B Leon and A D S Nagi* F1533

Noise voltage produced by flux motion in superconductors *P Jarvis and J G Park* F1573

Ginzburg–Landau theory of the transition at H_{c_3} in thin films superconductors *J B Parkinson* F2318

Fluctuation specific heat in an inhomogeneous superconductor *E Šimáneck and J C Hayward* F2330

Phase transition in random superconductors *E Šimáneck* F2334

8.440 Tunnelling and coupled superconductors

Densities of states in isolated flux vortices in superconductors *G B Donaldson, D J Brassington and W T Band* F1726

8.500 MAGNETIC PROPERTIES AND MATERIALS

8.510 General theory and models of magnetic ordering

Electron correlations in itinerant strong ferromagnetism *M Corrias* FL31

Spin glass versus ferromagnet *D Sherrington and B W Southern* FL49

Resistivity of lanthanum praseodymium and praseodymium–terbium alloys in d-hex phase *H Krizek* F56

Magnetic response of s–d hybridized systems: microscopic and phenomenological approaches *A Troper, X A da Silva, A P Guimarães and A A Gomes* F160

Fluctuation induced band splitting in ferromagnetic and nearly ferromagnetic metals *J B Sokoloff* F528

Optical properties of rare earth films in paramagnetic and magnetically ordered phases *J Krizek and K N R Taylor* F774

Theory of inelastic light scattering off itinera- electron ferromagnets *S Coutinho and D R Tilley* F948

Theory of spin glasses *S F Edwards and P W Anderson* F963

First order transitions in ACo_2 compounds *D Bloch, D M Edwards, M Shimizu and J Voiron* F1217

The mechanism of magnetization in materials $Sm_{0\cdot167}Co_{0\cdot833-x}Al_x$ *H Oesterreicher* F1607

A phenomenological theory of strongly paramagnetic and weakly ferromagnetic dilute alloys *D M Edwards, J Mathon and E P Wohlfarth* F1619

Resistivity of spin glasses *N Rivier and K Adkins* F1745

Hyperfine field systematics in Heusler alloys *C C M Campbell* F1931

Consequences of the persistence of Stoner splitting up to and above T_c for the phase transition and the elementary excitations of ferromagnetic metals *J B Sokoloff* F1946

The linear T dependence of the specific heat and the saturation of the susceptibility for $T \rightarrow 0$ and dilute magnetic alloys *Ilan Reiss* F1957

Transverse magnetic susceptibilities in the local exchange approximation *J Callaway and C S Wang* F2119

Spin susceptibilities in the theory of itinerant-electron anti-ferromagnetism *W Young* F2343

8.520 Diamagnetism and paramagnetism

Effects of finiteness of the range of exchange interactions on the surface spin susceptibility of paramagnetic metals *J P Muscat* FL119

Magnetic and electrical properties of very dilute Zn–3d alloys *A E Bell and A D Caplin* F143

Structural and magnetic properties of $Co_2Ga_{2-x}Ti_x$ alloys *J G Booth and R G Pritchard* F347

Local environment and magnetic properties in transitional binary alloys: I *F Brouers, F Gautier and J van der Rest* F975
Local environment and magnetic properties in transitional binary alloys: II *J van der Rest, F Brouers and F Gautier* F995
Hyperfine field systematics in Heusler alloys *C C M Campbell* F1931

8.524 Metals and alloys

Electron spin resonance in $LaNi_5$–Gd alloys—absence of dynamic effects in the bottleneck *S E Male and R H Taylor* FL26
Superparamagnetic behaviour in Fe_xCr_{1-x} alloys ($0{\cdot}20 < x < 0{\cdot}30$) *B Loegel, J M Friedt and R Poinsot* FL54
Diffuse neutron scattering of PdMn *C J de Pater, C van Dijk and G J Niewenhuys* FL58
The hyperfine field at tellurium impurity sites in the Heusler alloy Pd_2MnSb *G R Mackay, C Blaauw and W Leiper* FL166
Short-range order and clusters in mictomagnetic MnCu *E M Gray and J H Smith* FL171
First order transitions in ACo_2 compounds *D Bloch, D M Edwards, M Shimizu and J Voiron* F1217
Effect of aluminium on the magnetic moments in ferromagnetic binary alloys *I Vincze and M J Besnus* F2129
Effect of H on the paramagnetic resonance of Mn in Pd *R A B Devine, J C H Chiu and M Poirer* F2362

8.526 Local moments in dilute alloys, Kondo effect

Interpolation scheme for the Kondo condensation applied to the study of its effect on the transition temperature of a superconductor *J J Préjean, J Souletie and J Teixeira* FL6
An extension of Suhl's theory of the Kondo effect including the analogue of the 'infrared divergence' *H Hübel* FL64
Atomic short range order in CuFe alloys *S J Campbell and T J Hicks* F27
Temperature dependent phase shifts: a phenomenological approach to the Kondo problem *J Souletie* F329
Giant moments and pressure effects in Pd–Ni alloys *J Beille and G Chouteau* F721
Orbital magnetism of magnetic impurities *G Malström and C Blomberg* F1197
Single impurity Kondo effect in gold: I. Thermopower *J Kopp* F1211
Spin–orbit interactions in dilute magnetic alloys: I. Induced spin anisotropy and its effects on the electrical resistance (corrigendum to 1973 paper) *D A Smith and G P Haberkern* F1248
On the determination of the exchange integral for magnetic impurities in metals *B Caroli* F1399
Temperature and field dependent scattering in zinc-based Kondo alloys *R Harris, B G Mulimani and J O Ström-Olsen* F1910

8.530 Magnetically ordered materials, intrinsic properties

Structural and magnetic properties of $Co_2Ga_{2-x}Ti_x$ alloys *J G Booth and R G Pritchard* F347
Magnetic transitions in the chromium–iron system *B Loegel* F497
Magnetic properties of $LaCo_{5x}Ni_{5-5x}$ *M Brouha and K H J Buschow* F543
Limited ferromagnetism and other magnetic properties of Pd–Mn alloys *B R Coles, H Jamieson, R H Taylor and A Tari* F565
Mössbauer study of the intermetallic compounds $(Fe_{1-x}Co_x)_2B$ and $(Fe_{1-x}Co_x)B$ *L Tackás, M C Cadeville and I Vincze* F800
Crystallographic and magnetic properties of pseudobinary alloys based on cobalt–platinum *D C Martin* F1031
Wavevector dependent susceptibility and dielectric function for copper *R Prasad, S Auluck and S K Joshi* F1385
The linear T dependence of the specific heat and the saturation of the susceptibility for $T \rightarrow 0$ in dilute magnetic alloys *Ilan Reiss* F1957
Magnetization of disordered cold-worked Fe–Al alloys up to 51 at% Al *M J Besnus, A Herr and A J P Meyer* F2138
Wavevector dependent susceptibility and dielectric functions for copper (corrigendum) *R Prasad, S Auluck and S Joshi* F2425

8.531 Saturation moments and magnetic susceptibility

Conduction electron polarization of gadolinium metal *L W Roeland, G J Cock, F A Muller, A C Moleman, K A McEwen, R G Jordan and D W Jones* FL233
The low temperature specific heat and magnetization of binary alloys of nickel with titanium, vanadium, chromium and manganese *I P Gregory and D E Moody* F36
On the magnetic susceptibilities in disordered alloys II. Multiorbital case, spin wave stiffness constant *R Riedinger and M Nauciel-Bloch* F732

Magnetic properties of a random close packed amorphous alloy *R W Cochrane, R Harris, M Plischke, D Zobin and M J Zuckermann* F763
The zero-frequency susceptibilities of spin glasses and mictomagnets *D A Smith* F2148

8.532 Exchange and superexchange interactions
Spin–orbit effect on heavy impurity atoms in cubic ferromagnetic transitional alloys *C Demangeat* F169
Indirect exchange interaction in a disordered magnet *T Kaneyoshi* F1014
Distribution of hyperfine fields in a disordered $Ni_{48}Fe_{52}$ alloy by Mössbauer effect *C Bansal, J Ray and G Chandra* F1663
The effect of planar defects on exchange interactions in ferromagnetic metals *A P Young and J P Jakubovics* F1866

8.533 Magnetic impurity interactions
On the determination of the exchange integral for magnetic impurities in metals *B Caroli* F1399
Calculation of the electronic thermal conductivity of superconducting alloys with paramagnetic impurities *B Leon and A D S Nagi* F1533
Orbital moment and electrical field gradient on dilute transitional impurities in iron hosts *C Demangeat* F1637
Single crystal studies of host Knight shifts and electric field gradients of copper dilutely alloyed with transition metal impurities *R Nevald and G Petersen* F1778
The temperature dependence of hyperfine fields at impurities in Fe *Le Dang Khoi, P Veillet and I A Campbell* F2184

8.534 Critical point effects, specific heats, short range order, magnetic transitions
Critical behaviour of the electrical resistivity near the Néel point in antiferromagnetic Cr–Mn alloys *J B Sousa, M R Chaves, M E Braga, M M Reis, M F Pinheiro and M Crisan* FL155
Short range order in dilute iron alloys *Le Dang Khoi, P Veillet and I A Campbell* FL203
Electron spin resonance studies of the onset of magnetic order in intermetallic compounds *R H Taylor and B R Coles* F121
The low temperature specific heat of hexagonal cobalt in a magnetic field *P C Lanchester, N F Whitehead, P Wells and R G Scurlock* F247
The approach to magnetic order in rhodium–cobalt alloys *H C Jamieson* F1021
First order transitions in ACo_2 compounds *D Bloch, D M Edwards, M Shimizu and J Voiron* F1217
Crystallographic and Mössbauer investigations of Dy $(Fe_{1-x}Co_x)_3$ and Y $(Fe_{1-x}Co_x)_3$ intermetallic compounds *S K Arif, D St P Bunbury and G K Bowden* F1792
Calorimetric studies of the order in magnetic phase transition in Cr and some Cr alloys at the Néel point *G Benedikisson, H U Åström and K V Rao* F1966

8.535 Spin arrangements
Helical magnetic order in Ni_2MnAl *K R A Ziebeck and P J Webster* F1756
Magnetic and atomic correlations in dilute copper–manganese alloys *N Ahmed and T J Hicks* F2168

8.536 Spin waves
Zero temperature spin mixing in nickel *O Jaoul and I A Campbell* FL69
The temperature dependence of the magnetic excitations in the Ni–Fe alloy *J Jankowska, K Mikke, S Warchol, L Adamowicz and A Sukiennicki* FL238
On the magnetic susceptibilities in disordered alloys II. Multiorbital case, spin wave stiffness constant *R Riedinger and M Nauciel-Bloch* F732

8.537 Anisotropy
The low temperature specific heat of hexagonal cobalt in a magnetic field *P C Lanchester, N F Whitehead, P Wells and R G Scurlock* F247

8.540 Studies of specific magnetic materials

Magnetic susceptibilities and antiferromagnetism in Cr–Pt alloys *S S Abdul-Noor and J G Booth* FL11
The low field static susceptibility of the spin glass $Au_{96}Fe_{04}$ *C N Guy* FL242
Nuclear magnetic resonance of ^{59}Co in $(Fe_{1-x}Co_x)_2B$ ferromagnetic borides *M C Cadeville and I Vincze* F790
Crystallographic and magnetic properties of pseudobinary alloys based on cobalt–platinum *D C Martin* F1031
Structural and magnetic properties of pseudobinary phases in the yttrium–3d transition metal phase diagrams *K N R Taylor and C A Poldy* F1593

Antiferromagnetic domains in rare earth metals and alloys *S B Palmer* F2370

8.542 Ferromagnetics

Electrical resistivity of Ni–Cr alloys *T F Smith, R J Tainsh, R N Shelton and W E Gardner* FL96

Determination of the three partial interference functions of an amorphous cobalt–phosphor ferromagnet by polarized-neutron scattering *J Bletry and J F Sadoc* FL110

The hyperfine field at tellurium impurity sites in the Heusler alloy Pd_2MnSb *G R Mackay, C Blaauw and W Leiper* FL166

The distribution of hyperfine fields in iron and nickel *P C Riedi* F186

The transition from a uniform ferromagnet to a complicated ordering structure in Pd-rich Pd–Mn alloys *H A Zweers and G J van den Berg* F555

Limited ferromagnetism and other magnetic properties of Pd–Mn alloys *B R Coles, H Jamieson, R H Taylor and A Tari* F565

Magnetic properties of a random close packed amorphous alloy *R W Cochrane, R Harris, M Plischke, D Zobin and M J Zuckermann* F763

Mössbauer study of the intermetallic compounds $(Fe_{1-x}Co_x)_2B$ and $(Fe_{1-x}Co_x)B$ *L Tackàs, M C Cadeville and I Vincze* F800

The approach to magnetic order in rhodium–cobalt alloys *H C Jamieson* F1021

Low temperature resistance anomalies in single crystals of Tb and Dy *D A Tindall and M H Jericho* F1359

A phenomenological theory of strongly paramagnetic and weakly ferromagnetic dilute alloys *D M Edwards, J Mathon and E P Wohlfarth* F1619

Mössbauer effect and magnetic properties of some Eu–Zn compounds *K H J Buschow, W J Husikamp, H Th LeFever, F J v Steenwijk and R C Thiel* F1625

Orbital moment and electrical field gradient on dilute transitional impurities in iron hosts *C Demangeat* F1637

8.550 Domain effects, magnetization curves, hysteresis

The mechanism of magnetization in materials $Sm_{0\cdot167}Co_{0\cdot833-x}Al_x$ *H Oesterreicher* F1607

Antiferromagnetic domains in rare earth metals and alloys *S B Palmer* F2370

8.560 Thin films

Optical properties of rare earth films in paramagnetic and magnetically ordered phases *J Krizek and K N R Taylor* F774

The Hall effect in thin films of chromium, cobalt and nickel *P J Whyman and R V Aldridge* F2176

8.570 Magnetomechanical effects, magnetostriction

Magnetoacoustic quantum oscillation studies in gallium at 9 GHz *N Tepley, N K Batra and R L Thomas* F1130

Magnetostriction of some cubic rare earth–Co_2 compounds in high magnetic fields *A del Moral and D Melville* F1767

8.600 MAGNETIC RESONANCE AND RELAXATION, MÖSSBAUER EFFECT

Paramagnetic resonance of Er and Dy in $ScAl_2$ *R A B Devine, M Poirier and T Cyr* F1407

Effect of aluminium on the magnetic moments in ferromagnetic binary alloys *I Vincze and M J Besnus* F2129

8.610 General theory of resonance and relaxation

Hyperfine interaction and relaxation effects of Er impurities in Y studied by Mössbauer spectroscopy *J Stöhr and W Wagner* F812

8.630 Electron spin resonance and relaxation

Electron spin resonance studies of the onset of magnetic order in intermetallic compounds *R H Taylor and B R Coles* F121

Electron spin resonance in metals with magnetic impurities *H K Sy* F575

Anisotropic electron spin resonance linewidth of a Γ_8 quadruplet in a metal *H K Sy and M B Walker* F1064

On the anisotropy in the exchange of field experienced by Er ions in the metallic cubic compounds PrSb and TmSb *C Rettori, R Levin and D Davidov* F2379

8.650 Ferromagnetic, antiferromagnetic and ferrimagnetic resonance: spin wave resonance

Microwave resonance and magnetization in Tb: 25 at% Gd *D M S Bagguley and J P Partington* FL39

8.660 Nuclear magnetic resonance and relaxation

An empirical rule concerning the asymmetry of the electric field gradient at a copper nucleus being nearest neighbour to an impurity in dilute copper alloys *R Nevald* FL181

Nuclear magnetic resonance of holmium in ferrimagnetic Laves phase compounds of rare earths with cobalt *S K Arif and M A H McCausland* FL247

The distribution of hyperfine fields in iron and nickel *P C Riedi* F186

Nuclear magnetic resonance of ^{59}Co in $(Fe_{1-x}Co_x)_2B$ ferromagnetic borides *M C Cadeville and I Vincze* F790

Nuclear energy levels: applications to complex ^{57}Fe Mössbauer spectra *S K Arif, D St P Bunbury, G J Bowden and R K Day* F1037

^{57}Fe Mössbauer studies of the (RE) Fe_3 intermetallic compounds *S K Arif, D St P Bunbury, G J Bowden and R K Day* F1048

Mechanisms of nuclear acoustic resonance in conductors *J J Niez and P Averbuch* F1227

Bloch enhancement of the nuclear quadrupole interaction in aluminium alloys *P M Holtham and P Jena* F1649

Isomer shifts in gadolinium compounds having the caesium chloride structure *J W Ross and J Sigalas* F1973

Knight shifts and quadrupole coupling in beta-gallium *J D Stroud and S L Segel* F1981

Pseudoquadrupole interaction in gallium metal *S L Segel and J D Stroud* F1986

Single crystal NMR studies of electric field gradient and Knight shift tensors in AlMn and AlCr *J A R Stiles, N Kaplan and D Ll Williams* F1993

The temperature dependence of hyperfine fields at impurities in Fe *Le Dang Khoi, P Veillet and I A Campbell* F2184

NMR of ^{27}Al in ferromagnetic iron: the contribution of the conduction electron polarization of the hyperfine fields *P C Riedi* F2191

Nuclear transverse relaxations in ferromagnetic dysprosium metal *Y Berthier and J Barak* F2388

8.662 Chemical and Knight shift

The electronic structure and Knight shift of β-Ga *J D Stroud and J Stott* F1667

Single crystal studies of host Knight shifts and electric field gradients of copper dilutely alloyed with transition metal impurities *R Nevald and G Petersen* F1778

On the electronic structure of LaAg and LaZn *U Goebel, E Dormann and K H J Buschow* F2198

8.666 Quadrupole resonances

Effect of pressure on the quadruple interaction in β gallium metal *R J C Brown and S Segel* F1073

Single crystal studies of host Knight shifts and electric field gradients of copper dilutely alloyed with transition metal impurities *R Nevald and G Petersen* F1778

8.680 Mössbauer effect: other γ ray spectroscopy

The Mössbauer spectrum of strained iron and the quadrupole coupling in α iron *R C Mercader and T E Cranshaw* FL124

Mössbauer study of intermetallic compounds $(Fe_{1-x}Co_x)_2B$ and $(Fe_{1-x}Co_x)B$ *L Tacáks, M C Cadeville and I Vincze* F800

Hyperfine interactions and relaxation effects of Er impurities in Y studied by Mössbauer spectroscopy *J Stöhr and W Wagner* F812

Nuclear energy levels: applications to complex ^{57}Fe Mössbauer spectra *S K Arif, D St P Bunbury, G J Bowden and R K Day* F1037

^{57}Fe Mössbauer studies of the (RE) Fe_3 intermetallic compounds *S K Arif, D St P Bunbury, G J Bowden and R K Day* F1048

Mössbauer spectroscopy of rare earth impurities in hexagonal host metals: ZrEr *J Stöhr, J D Cashion and W Wagner* F1417

Mössbauer effect and magnetic properties of some Eu–Zn compounds *K H J Buschow, W J Huiskamp, H Th LeFever, F J v Steenwijk and R C Thiel* F1625

Distribution of hyperfine fields in a disordered $Ni_{48}Fe_{52}$ alloy by Mössbauer effect *C Bansal, J Ray and G Chandra* F1663

Temperature dependent hyperfine interactions in the intermetallic compounds YFe_3, $TbFe_3$ and $ErFe_3$ *S K Arif, D St P Bunbury and G J Bowden* F1785

Crystallographic and Mössbauer investigations of $Dy(Fe_{1-x}Co_x)_3$ and $Y(Fe_{1-x}Co_x)_3$ intermetallic compounds *S K Arif, D St P Bunbury and G K Bowden* F1792

8.800 OPTICAL PROPERTIES AND CONDENSED MATTER SPECTROSCOPY

The band structure of monoclinic β-Ga *O Hunderi* F883

Optical properties of calcium in the vacuum ultraviolet *M R Potter and G W Green* F1426

8.810 Optical properties and materials

Electronic properties and phase transitions in calcium, strontium and barium at elevated temperatures *J Katerberg, S Niemeyer, D Penning and J Van Zytveld* FL74
A study of the virtual bound state dielectric constant *D Beaglehole* F657
Optical properties of rare earth films in paramagnetic and magnetically ordered phases *J Krizek and K N R Taylor* F774
Calculation of optical properties of white tin *M A E Ament and A R de Vroomen* F2394
Towards an interpretation of optical data from copper-rich CuGa and CuGe alloys *C L Cook, M J Kelly and P V Smith* F2402
Optical properties of single crystal thallium between 0·6 and 5 eV *J Castelijns, J Derks and A de Vroomen* F2407

8.820 Optical spectra

An attempt to eliminate a bone of contention about the optical properties of liquid mercury: Quantitative estimate of the Pauli-forbidden transition *T Kobayashi and M Watabe* FL1
Optical properties of Ca in the range 2·1–11·5 eV *P O Nilsson and G Forssell* FL159
Optical absorption spectra of surface plasmons in small copper particles (corrigendum to 1974 Letter to the Editor) *G C Papavassiliou and Th Kokkinakis* F384
Theory of inelastic light scattering off itinerent electron ferromagnets *S Coutinho and D R Tilley* F948
Optical properties of silver–palladium alloys *J P Ferraton, G Leveque and S Robin-Kandare* F1433
Conduction band density of states of Ag–Pd alloys *J P Ferraton and S Robin-Kandare* F2003
A valence band study of Ag–Pd alloys using ultraviolet photoelectron spectroscopy *A McLachlan, J Jenkin, R Leckey and J Liesegany* F2415

8.850 Other spectra and interactions between radiation and matter

Soft x ray threshold shapes extracted from Linde's rule in the optical alchemy approximation *J D Dow, D R Franceschetti, P C Gibbons and S E Schnatterly* FL211
Soft x ray emission study of the screening of Al impurities in Fe *C M Sayers, N H March, A Dev, D J Fabian and L M Watson* FL207
Cobalt K absorption edge shifts in some of its intermetallic compounds *A R Chetal and P R Sarode* FL217
White lines and self absorption of lines in the x ray absorption spectra of transition elements in the metallic state *S Kawata* F324
Chemical shift in the x ray K absorption edge of strontium *M K Gupta* F359
L absorption spectra of ^{57}La to ^{63}Eu in their oxides *M S Kushwaha, B D Srivastava and V S Dubey* F597
X ray K absorption edge study of chemical shift in cobalt complexes *A K Singh and B M S Kashyap* F822
X ray emission studies of the electron structure of Ni atoms in nickel–aluminium alloys *E J Suoninen and T V O Valkonen* F837
Cd 4d spin–orbit splittings in alloys of Cd and Mg *L A Hisscott and P T Andrews* F1077
Limitations on x ray threshold fine structures imposed by the gross structures of emission spectra *J D Dow* F1113
White lines in the x ray absorption spectra of transition elements in the metallic state *S Kawata* F1676
X ray spectroscopic investigation of an ytterbium–gold system *B A Patki, G S Agrawal and V G Kher* F2208

8.860 Optical properties of thin films

Hyperfine magnetic fields observed at scandium nuclei in iron, nickel and the intermetallic compound $GdFe_2$ *M G Colley, D H Chaplin, D E Swan and G V H Wilson* FL80
Optical properties of silver–palladium alloys *J P Ferraton, G Leveque and S Robin-Kandare* F1433
Conduction band density of states of Ag–Pd alloys *J P Ferraton and S Robin-Kandare* F2003
Optical properties of crystalline and amorphous bismuth films *Ola Hunderi* F2214

8.900 ELECTRON AND ION EMISSION BY LIQUIDS AND SOLIDS AND IMPACT PHENOMENA

Relaxation processes accompanying photoemission from solid cadmium *P Weightman, P T Andrews and L A Hisscott* FL220

The KVV Auger spectrum of lithium metal *A J Jackson, C Tate, T E Gallon, P J Bassett and J A D Matthews* F363

X ray excited Auger and photoelectron spectra of magnesium, some alloys of magnesium and its oxide *J C Fuggle, L M Watson, D J Fabian and S Affrossman* F375

On the comparison of the soft x ray, x ray photoemission and Auger electron spectra of the valence bands of Mg, Mg_2Cu and Mg_3Au *J C Fuggle, L M Watson, P R Norris and D J Fabian* F590

The MVV Auger spectra of copper and nickel *A M Baró, M Salmeron and J M Rojo* F826

X ray photoelectron spectroscopy of some Cu–Zn alloys *P T Andrews and L A Hisscott* F1568

Final state effects in the photoemission core level and Auger spectra of Ni and Ni alloyed with Zn *N J Shevchik and C M Penchina* F2008

9.000 INTERDISCIPLINARY SUBJECTS

9.100 MATERIALS SCIENCE AND METALLURGY

9.120 Physical metallurgy

Off-diagonal disorder and energy in formation in transitional alloys *J van der Rest, F Gautier and F Brouers* F2283

Author index

Abdul-Noor S S and Booth J G: Magnetic susceptibilities and antiferromagnetism in Cr–Pt alloys FL11

Adamowicz L: *see* Jankowska J FL238

Adkins K: *see* Rivier N F1745

Affrossman S: *see* Fuggle J C F375

Agrawal G S: *see* Patki B A F2208

Ahmed N and Hicks T J: Magnetic and atomic correlations in dilute copper–manganese alloys F2168

Aldridge R V: *see* Whyman P J F2176

Ali Z, Myers A and Thompson R S: Radio frequency size effect signals at multiple fields F908

Allen B R: *see* Ballinger R A F1135

Amamou A, Gautier F and Loegel B: Transport properties giant moments and nearly magnetic impurities in some nickel alloys near the magnetic transition F1342

Ament M A E and de Vroomen A R: Calculation of optical properties of white tin F2394

Amundsen T, Berbon B and Bratsberg H G: A note on the Sondheimer size effect in aluminium FL43

Anderson P W: *see* Edwards S F F965

Andrews P T: *see* Hisscott L A F1077

Andrews P T: *see* Weightman P FL220

Andrews P T and Hisscott L A: X ray photoelectron spectroscopy of some Cu–Zn alloys F1568

Arbmann G O: *see* Koelling D D F2041

Arbmann G O and von Barth U: Correlated potentials for simple metals: aluminium F1155

Arif S K, Bunbury D St P and Bowden G J: Temperature dependent hyperfine interactions in the intermetallic compounds YFe_3, $TbFe_3$ and $ErFe_3$ F1785

Arif S K, Bunbury D St P and Bowden G J: Crystallographic and Mössbauer investigations of $Dy(Fe_{1-x}Co_x)_3$ and $Y(Fe_{1-x}Co_x)_3$ intermetallic compounds F1792

Arif S K, Bunbury D St P, Bowden G J and Day R K: Nuclear energy levels: applications to complex ^{57}Fe Mössbauer spectra F1037

Arif S K, Bunbury D St P, Bowden G J and Day R K: ^{57}Fe Mössbauer studies of the (RE) Fe_3 intermetallic compounds F1048

Arif S K and McCausland M A H: Nuclear magnetic resonance of holmium in ferrimagnetic Laves phase compounds of rare earths with cobalt FL247

Asaro R J: An image force theorem for a dislocation near a crack in an anisotropic elastic medium F2249

Ashelby D W, Brooks S, Leach J S L and Moon J R: Some measurements of the electrical resistivities of dilute liquid amalgams containing alkali and alkaline-earth elements F2105

Åström H U: *see* Benediktsson G F1966

Åström H U: *see* Pokorny M F1327

Auluck S: *see* Prasad R F1385

Auluck S: *see* Prasad R F2425

Averbuch P: *see* Niez J J F1227

Azizi H: On the calculation of electron–phonon mass enhancement of transition metals in the tight-binding formalism F2307

Bacon D J and Scattergood R O: A compilation of dislocation tractions in anisotropic cubic metals F193

Bagguley D M S and Partington J P: Microwave resonance and magnetization in Tb 25 at% Gd FL39

Ballinger R A and Allen B R: A semiempirical study of the electronic structure of calcium F1135

Band W T: *see* Donaldson G B F1726

Bansal C, Ray J and Chandra G: Distribution of hyperfine fields in a disordered $Ni_{48}Fe_{52}$ alloy by Mössbauer effect F1663

Barak J: *see* Berthier Y F2388

Barber A J and Caplin A D: The low temperature electrical resistivity of high purity Ag and Ag based alloys F679

Barnard R D: The thermoelectric power of alloys—a modified Nordheim–Gorter relation F99

Baró A M, Salmeron M and Rojo J M: The MVV Auger spectra of copper and nickel F826

von Barth U: *see* Arbmann G F1155

Bass J: *see* Thaler B J F1554

Bassett P J: *see* Jackson A J F363

Batra N K: *see* Tepley N F1130

Beaglehole D: A study of the virtual bound state dielectric constant F657

Beauchamp P, Taylor R and Vitek V: Interatomic potentials for body centred cubic lithium–magnesium alloys F2017

Bednarski S: *see* Maliszewski E F1455

Beille J and Chouteau G: Giant moments and pressure effects in Pd–Ni alloys F721

Belakhovsky M, Pierre J and Ray D K: Theoretical study of the electronic structure of some cubic intermetallic compounds of dysprosium using the augmented plane wave method F2275

Bell A E and Caplin A D: Magnetic and electrical properties of very dilute Zn–3d alloys F143

Benediktsson G, Åström H U and Rao K V: Calorimetric studies of the order of magnetic phase transitions in Cr and some Cr alloys at the Néel point F1966
Bennemann K H: *see* ten Bosch A F1333
Bennemann K H: *see* Morán-López J L F1277
Berbon B: *see* Amundsen T FL43
van den Berg: *see* Zweers G L F555
Berthier Y and Barak J: Nuclear transverse relaxations in ferromagnetic dysprosium metal F2388
Bertoni C M, Bisi O, Calandra C and Nizzoli F: Perturbation theory and three body forces in HCP metals F419
Besnus M J: *see* Vincze I F2129
Besnus M J, Herr A and Meyer A J P: Magnetization of disordered cold-worked Fe–Al alloys up to 51 at% Al F2138
Bhatia A B: *see* Ratti V K F893
Bhatia A B and March N H: Size effects, peaks in concentration fluctuations and liquidus curves of Na–Cs F1100
Bishop G N: Acoustic surface wave study of critical magnetic fields of superconducting Fe/Pb sandwiches F278
Bisi O: *see* Bertoni C M F419
Blaauw C: *see* Mackay G R FL166
Bletry J and Sadoc J F: Determination of the three partial interference functions of an amorphous cobalt–phosphor ferromagnet by polarized-neutron scattering FL110
Bloch D, Edwards D M, Shimizu M and Voiron J: First order transitions in ACo_2 compounds F1217
Blomberg C: *see* Malmström G F1197
Bolton J P R and Dawber P G: Theory of alloys: energy dependent potentials for real alloys F2079
Böning K, Pfändner K, Rosner P and Schlüter M: Anisotropic scattering of conduction electrons on point defects in Al F1176
Booth J G: *see* Abdul-Noor S S FL11
Booth J G and Pritchard R G: Structural and magnetic properties of $Co_2Ga_{2-x}Ti_x$ alloys F347
ten Bosch A and Bennemann K H: On the d electron contribution to the electrical conductivity of liquid transition metals F1333
Bowden G J: *see* Arif S K F1037
Bowden G J: *see* Arif S K F1048
Bowden G J: *see* Arif S K F1785
Bowden G J: *see* Arif S K F1792
Braga M E: *see* Sousa J B FL155
Brassington D J: *see* Donaldson G B F1726
Bratsberg H G: *see* Amundsen T FL43
Breeze A and Perkins P G: On the electronic structure and Fermi surface of YZn alloy F255
Brenner K G E and Demel O K: Porous surface layers resulting from evaporation of zinc in α-Ag–Zn solid solutions F2026
Bressan O J, Ridner A E and de la Cruz F: T^3 law and Mattheissen's rule F481
Bressan O J, Rinder A E and de la Cruz F: Low angle electron scattering in thermal resistivity F1902
Brooks S: *see* Ashelby D W F2105
Brouers F: *see* Gautier F F1884
Brouers F: *see* van der Rest J F995
Brouers F: *see* van der Rest J F2283
Brouers F and Ducastelle F: On the theories of local environment effect in disordered alloys F45
Brouers F, Gautier F and van der Rest J: Local environment and magnetic properties in transitional binary alloys: I F975
Brouha M and Buschow K H J: Magnetic properties of $LaCo_{5+x}Ni_{5-5x}$ F543
Brown R J C and Segel S: Effect of pressure on the quadrupole interaction in β gallium metal F1073
Bunbury D St P: *see* Arif S K F1037
Bunbury D St P: *see* Arif S K F1048
Bunbury D St P: *see* Arif S K F1785
Bunbury D St P: *see* Arif S K F1792
Buschow K H J: *see* Brouha M F543
Buschow K H J: *see* Goebel U F2198
Buschow K H J, Huiskamp W J, LeFever H Th, v Steenwijk F J and Thiel R C: Mössbauer effect and magnetic properties of some Eu–Zn compounds F1625

Cadeville M C: *see* Takács L F800
Cadeville M C and Vincze I: Nuclear magnetic resonance of ^{59}Co in $(Fe_{1-x}Co_x)_2B$ ferromagnetic borides F790
Calandra C: *see* Bertoni C M F419
Callaway J and Wang C S: Transverse magnetic susceptibility in the local exchange approximation F2119
Campbell C C M: Hyperfine field systematics in Heusler alloys F1931
Campbell I A: *see* Jaoul O FL69
Campbell I A: *see* Le Dang Khoi FL203
Campbell I A: *see* Le Dang Khoi F2184
Campbell S J and Hicks T J: Atomic short range order in CuFe alloys F27
Caplin A D: *see* Barber A J F679
Caplin A D: *see* Bell A E F143
Caroli B: On the determination of the exchange integral for magnetic impurities in metals F1399
Cashion J D: *see* Stöhr J F1417
Castelijns J, Derks J and de Vroomen A: Optical properties of single crystal thallium between 0·6 and 5 eV F2407
Chandra G: *see* Bansal C F1663
Chaplin D H: *see* Colley M G FL80
Charles S W: *see* Popplewell J FL137
de Chatel P F: *see* Robinson G G F1502

Chatterjee S and Sinha P: Energy band structure of beryllium and magnesium F2089
Chaves M R: *see* Sousa J B FL155
Chen H S: *see* Chuang S Y F1681
Chetal A R and Sarode P R: Cobalt K absorption edge shifts in some of its intermetallic compounds FL217
Chiu J C H: *see* Devine R A B F2362
Chouteau G: *see* Beille J F721
Chuang S Y, Tao S J and Chen H S: Investigation of the electronic structure of a glassy $Pd_{0.775}Cu_{0.06}Si_{0.165}$ alloy by angular correlation studies of positron annihilation radiation F1681
Cini M: *Corrigendum to* Size dependence of the image potential (published 1974) FL42
Cochrane R W, Harris R, Plischke M, Zobin D and Zuckermann M J: Magnetic properties of a random close packed amorphous alloy F763
Cock G J: *see* Roeland L W FL233
Coleridge P T: The Fermi surfaces of dilute copper alloys: II. Theory F1317
Coleridge P T: *see* Templeton I M F1307
Coles B R: *see* Taylor R H F121
Coles B R, Jamieson H, Taylor R H and Tari A: Limited ferromagnetism and other magnetic properties of Pd–Mn alloys F565
Colley M G, Chaplin D H, Swan D E and Wilson G V H: Hyperfine magnetic fields observed at scandium nuclei in iron, nickel and the intermetallic compound $GdFe_2$ FL80
Cook C L, Kelly M J and Smith P V: Towards an interpretation of optical data from copper-rich CuGa and CuGe alloys F2402
Corrias M: Electron correlations in itinerant strong ferromagnetism FL31
Cottey A A: Band theory of one dimensional superlattices F443
Cottey A A: *Corrigendum to* Band theory of one dimensional superlattices F1248
Cousins C S G: The effect of a long range oscillatory interaction on the stability of alloys: II. HCP structures F227
Coutinho S and Tilley D R: Theory of inelastic light scattering off itinerant electron ferromagnets F948
Cox B N and Lloyd P: A calculation of the Coulomb correlation energy U_{ff} for the lanthanide series of rare earth metals FL197
Cranshaw T E: *see* Mercader R C FL124
Crisan M: *see* Sousa J B FL155
de la Cruz F: *see* Bressan O J F481
de la Cruz F: *see* Bressan O J F1902
Cubiotti G, Donato E, Giuliano E S, Ruggeri R and Stancanelli A: Transport properties of liquid alkaline earth metals FL129
Cubiotti G, Donato E and Jacobs R L: The theory of disordered alloys: III. Cluster theory and off-diagonal disorder F2068
Cutler P H: *see* King III W F FL187
Cutler P H, Day R and King III W F: On the role of the orthogonalization hole potential in Harrison's first principles pseudo-potential theory F1801
Cyr T: *see* Devine R A B F1407
Cyrot-Lackmann F: *see* Desjonquères M C F1368
Czachor A: *see* Maliszewksi E F1455

Daams J M: The use of anisotropic relaxation times for calculating the magnetoconductivity F1895
Das A K: The relaxation-time approximation in the RPA dielectric formulation F2035
Das M P: *see* Pant M M F1301
Das S G, Rao P V S and Vashista P: Energetics of single vacancy in alkali metals using the improved screening theory FL35
Davidov D: *see* Rettori C F2379
Dawber P G: *see* Bolton J P R F2079
Day R: *see* Cutler P H F1801
Day R K: *see* Arif S K F1037
Day R K: *see* Arif S K F1048
Dedié G: Spontaneous anisotropy of the electrical resistivity of Ni F706
Demangeat C: Spin–orbit effect on heavy impurity atoms in cubic ferromagnetic transitional alloys F169
Demangeat C: Orbital moment and electrical field gradient on dilute transitional impurities in iron hosts F1637
Demangeat C: *see* Parlebas J FL18
Demel O K: *see* Brenner K G E F2026
Derks J: *see* Castelijns J F2407
Desjonquères M C and Cyrot-Lackmann F: Surface densities of states in cleaved transition metals F1368
Dev A: *see* Sayers C M FL207
Devanathan V: *see* Nagarajan T F81
Devillers M A C and Ross R G: Structure independent properties of expanded crystalline mercury F73
Devine R A B, Chiu J C H and Poirier M: Effect of H on the paramagnetic resonance of Mn in Pd F2362
Devine R A B, Poirier M and Cyr T: Paramagnetic resonance of Er and Dy in $ScAl_2$ F1407
van Dijk C: *see* de Pater C J FL58
Dimitrov C, Moreau F and Dimitrov O: Influence of magnesium additions on the low temperature recovery stages in neutron irradiated aluminium F385
Dimitrov O: *see* Dimitrov C F385
Dobbs E R: *see* Thomas R L FL21
Dobson P J: *see* Gibson M J F864
Dobson P J: *see* Gibson M J F1828
Donaldson G B, Brassington D J and Band W T: Densities of states in isolated flux vortices in superconductors F1726

Donato E: *see* Cubiotti G FL129
Donato E: *see* Cubiotti G F2068
Dorleijn J W F and Miedema A R: A quantitative investigation of the two current conduction in nickel alloys F487
Dorleijn J W F and Miedema A R: An investigation of the resistivity anisotropy in nickel alloys F1543
Dormann E: *see* Goebel U F2198
Dosdale T, Grieg D and Rashid A A M: The Hall coefficient of gold–silver alloys F2109
Dow J D: Limitations on x ray threshold fine structures imposed by the gross structures of emission spectra F1113
Dow J D, Franceschetti D R, Gibbons P C and Schnatterly S E: Soft x ray threshold shapes extracted from Linde's rule in the optical alchemy approximation FL211
Doyama M: *see* Kuribayashi K FL92
Doyama M: *see* Takai O FL83
Doyama M, Tanigawa S, Kuribayashi K, Fukushima H, Hinode K and Saito F: Positron annihilation in glassy metals FL230
Dubey V S: *see* Kushwaha M S F597
Ducastelle F: *see* Brouers F F45
Dupree B C, Van Zytveld J B and Enderby J: The resistivity and thermoelectric power of gold and liquid palladium FL200
Dworkschak F, Lennartz R and Wollenberger H: Interstitial trapping and detrapping in electron irradiated dilute copper alloys F400

Edwards D M: *see* Bloch D F1217
Edwards D M, Mathon J and Wohlfarth E P: A phenomenological theory of strongly paramagnetic and weakly ferromagnetic dilute alloys F1619
Edwards S F and Anderson P W: Theory of spin glasses F965
Enderby J: *see* Dupree B C FL200
Ese O: *see* Reissland J A F110
Even U and Freyland W: Hall mobility of expanded liquid caesium in the metallic propagation region FL104

Fabian D J: *see* Fuggle J C F375
Fabian D J: *see* Fuggle J C F590
Fabian D J: *see* Sayers C M FL207
Féat G R and Rickayzen G: Paraconductivity of superconductors in magnetic fields F307
Ferraton J P, Leveque G and Robin-Kandare S: Optical properties of silver–palladium alloys F1433
Ferraton J P and Robin-Kandare S: Conduction band density of states of Ag–Pd alloys F2003
Fielek B L: Lattice dynamics of noble and transition metals F17
Fielek B L: *Corrigendum to* Lattice dynamics of noble and transition metals F836
Fielek B L: The phonon dispersion curves of copper F1451
Filion A, Nérou J P and Girard P-E: Electrical resistivity due to interstitial oxygen in the system TiO_c ($0 \leqslant c \leqslant 0{\cdot}5$) F468
Finlayson T R, Thomson K W and Smith T F: Internal friction in A15 and C15 superconductors in the temperature range 4–150 K FL225
Finnis M W: Defect energies and linear screening theory in simple metals F2227
Fogelholm R: *see* Rapp O F1694
Forgan E M: Ultrasonic attenuation in superconductors; theory of the effect of scattering of electrons by thermal phonons F515
Forssell G: *see* Nilsson P O FL159
Foulkes I F and Gomersall I R: A simple theory of the phonon contribution to the electron–phonon mass enhancement F153
Franceschetti D R: *see* Dow J D FL211
Freyland W: *see* Even U FL104
Friedt J M: *see* Logel B FL54
Fuggle J C, Watson L M, Fabian D J and Affrossman S: X ray excited Auger and photoelectron spectra of magnesium, some alloys of magnesium and its oxide F375
Fuggle J C, Watson L M, Norris P R and Fabian D J: On the comparison of the soft x ray, x ray photoemission and Auger electron spectra of the valence bands of Mg, Mg_2Cu and Mg_3Au F590
Fukushima H: *see* Doyama M FL230

Gallon T E: *see* Jackson A J F363
Gardner W E: *see* Shelton R N F1916
Gardner W E: *see* Smith T F FL96
Gautier F: *see* Amamou A F1342
Gautier F: *see* Brouers F F975
Gautier F: *see* Parlebas J FL18
Gautier F: *see* van der Rest J F995
Gautier F: *see* van der Rest J F2283
Gautier F, van der Rest J and Brouers F: Energy of formation, band structure and local environment effects in transitional binary alloys F1884
Gibbons P C: *see* Dow J D FL211
Gibson M J and Dobson P J: Observations of the epitaxial growth of nickel and copper on (111) silver F864
Gibson M J and Dobson P J: Diffusion of silver through epitaxial films of copper and nickel on silver {111}: The formation of an equilibrium layer of silver F1828
Gillis P P: *see* Keshavan M K F903
Girard P-E: *see* Filion A F468
Giuliano E S: *see* Cubiotti G FL129

Goebel U, Dormann E and Buschow K H J: On the electronic structure of **LaAg** and **LaZn** F2198
Gomersall I R: *see* Foulkes I F F153
Gomes A A: *see* Troper A F160
Gray E M and Smith J H: Short range order and clusters in mictomagnetic MnCu FL171
Green G W: *see* Potter M R F1426
Greenfield A J and Wiser N: Empirical form factors for the simple metals F1289
Gregory I P and Moody D E: The low temperature specific heat and magnetization of binary alloys of nickel with titanium, vanadium, chromium and manganese F36
Greig D: *see* Dösdale T F2109
de Groot D G, Hoff A B M and van Weeren J H P: Determination of mean free paths in indium from the radio frequency size effect and the peak near zero field F1559
Guimarães A P: *see* Troper A F160
Güntherodt H-L, Hauser E and Künzi H U: The electrical resistivity of liquid barium F889
Gupta M K: Chemical shift in the x ray K absorption edge of strontium F359
Gurman S J: Electron density of states of thin copper films FL194
Guy C N: The low field static susceptibility of the spin glass $Au_{96}Fe_{04}$ FL242

Haberkern G P: *see* Smith D A F1248
Hafner J: On the importance of the core shift in an *ab initio* pseudopotential theory FL150
Hafner J: On the effect of pressure and temperature on the effective pair potential in simple metals F1439
Hafner J: *Corrigendum to* On the effect of pressure and temperature on the effective pair potential in simple metals F2425
Harris R: *see* Cochrane R W F763
Harris R, Mulimani B G and Ström-Olsen J O: Temperature and field dependent scattering in zinc-based Kondo alloys F1910
Hauser E: *see* Güntherodt H-J F889
Haydock R and Johannes R L: The electronic structure of transition metal Laves phases F2055
Hayward J C: *see* Šimánek E F2330
Hede B: *see* McMullen T F669
Heimendahl L: Metallic glasses as relaxed Bernal structures FL141
Heimendahl L V and Thorpe M F: Phonons in metallic glasses FL87
Herr A: *see* Besnus M J F2138
Hertz W and Peisl H: Volume and electrical resistivity change due to vacancies in platinum F604
Hertz W and Peisl H: Volume and electrical resistivity change due to interstitial atoms in platinum F2241
Hicks T J: *see* Ahmed N F2168
Hicks T J: *see* Campbell S J F27
Hill H H and Kmetko E A: Proposal regarding the electronic structure of α-Ce F1119
Hinkelmann H: The contribution of lattice vibrations to the dielectric function $\epsilon(q, \omega)$ of metals F93
Hinode K: *see* Doyama M FL230
Hirth J P: *see* Sinclair J E F236
Hisamatsu Y: *see* Takai O FL83
Hisscott L A: *see* Andrews P T F1568
Hisscott L A: *see* Weightman P FL220
Hisscott L A and Andrews P T: Cd 4d spin–orbit splittings in alloys of Cd and Mg F1077
Hoff A B M: *see* de Groot D G F1559
Holas A: *see* Maliszewski E F1455
Holtham P M and Jena P: Bloch enhancement of the nuclear quadrupole interaction in aluminium alloys F1649
Hopkins B J and Watts G D: A RHEED study of the epitaxial growth of antimony on tungsten (112) F342
Hübel H: An extension of Suhl's theory of the Kondo effect including the analogue of the 'infrared divergence' FL64
Huiskamp W J: *see* Buschow K H J F1625
Hunderi O: The band structure in monoclinic β-Ga F883
Hunderi O: Optical properties of crystalline and amorphous bismuth films F2214
Huntley F A: Dissociative impurity diffusion by 1-D interstitial migration FL163

Iguchi E and Udagawa K: Analysis of Young's modulus in the polycrystalline Cu–Ni alloy with the theory for Nordheim's rule F214
Inglesfield J E and Wikborg E: The Van der Waals interaction between metals F1475
Inglesfield J E and Wikborg E: Surface plasmons in metal overlayers F1706
Islam M M and Newman D J: 4f band energies in thulium F939
Iyakutti K: *see* Nagarajan T F81

Jackson A J, Tate C, Gallon T E, Bassett P J and Matthews J A D: The KVV Auger spectrum of lithium metal F363
Jacobs R L: *see* Cubiotti G F2068
Jacobs R L: *see* Zaman N F1677
Jacubovics J P: *see* Young A P F1866
James B W: *see* Morton N F85
James B W: *see* Morton N F2098
Jamieson H C: The approach to magnetic order in rhodium–cobalt alloys F1021

Jamieson H C: *see* Coles B R F565
Jankowska J, Mikke M, Warchol S, Adamowicz L and Sukiennicki A: The temperature dependence of the magnetic excitations in the Ni–Fe alloy FL238
Jaoul O and Campbell I A: Zero temperature spin mixing in nickel FL69
Jarvis P and Park J G: Noise voltages produced by flux motion in superconductors F1573
Jena P: *see* Holtham P M F1649
Jenkin J: *see* McLachlan A F2415
Jenkins D D: *see* Popplewell J FL137
Jericho M H: *see* Tindall D A F1359
Johannes R J: *see* Haydock R F2055
Johansson B: The boiling points of the rare earth metals F1241
Johansson B: *see* Rosengren A F629
Johansson B and Rosengren A: The volume difference between ^{6}Li and ^{7}Li FL15
Jones D W: *see* Roeland L W FL233
Jones W: Nearly free electron theory of the Hall effect F1365
Jordan R G: *see* Roeland L W FL233
Joshi S K: *see* Prasad R F1385
Joshi S K: *see* Prasad R F2425

Kaneyoshi T: Indirect exchange interaction in a disordered magnet F1014
Kanhere D G and Singru R M: Electron momentum distribution in nickel and copper employing a renormalized free atom model F1146
Kaplan N: *see* Stiles J A R F1993
Karim Kh R: *see* Mannan Kh M F1687
Kashyap B M S: *see* Singh A K F822
Katerberg J, Niemeyer S, Penning D and Van Zytveld J B: Electronic properties and phase transitions in calcium, strontium and barium at elevated temperature FL74
Kawata S: White lines and self absorption of lines in the x ray absorption spectra of transition elements in the metallic state F324
Kawata S: *Corrigendum to* White lines and self absorption of lines in the x ray absorption spectra of transition elements in the metallic state F1676
Kelly M J: *see* Cook C L F2402
Kerker G: *see* Morán-López J L F1277
Keshavan M K and Gillis P P: On dislocation multiplication F903
Kher V G: *see* Parki B A F2208
Killean R C G and Lisher E J: The Debye temperatures of the face centred cubic metals: I. X ray and neutron diffraction results F1107
King III W F: *see* Cutler P H F1801
King III W F and Cutler P H: Influence of effective mass on pseudopotential theory FL187
Kmetko E A: *see* Hill H H F1119
Kobayashi K: *see* Ohashi K F1466
Kobayashi K and Watabe M: An attempt to eliminate a bone of contention about the optical properties of liquid mercury: Quantitative estimate of the Pauli-forbidden transition FL1
Koch C C: *see* Shelton R N F1916
Koelling D D and Arbmann G O: Use of energy derivative of the radial solution in an augmented plane wave method: application to copper F2041
Kokkinakis Th: *see* Papavassiliou G C F384
Kopp J: Single impurity Kondo effect in gold: I. Thermopower F1211
Krizek H: Resistivity of lanthanum praseodymium and praseodymium–terbium alloys in d-hex phase F56
Krizek J and Taylor K N R: Optical properties of rare earth films in paramagnetic and magnetically ordered phases F774
Kume K: *see* Toyoda T FL134
Künzi H U: *see* Güntherodt H-J F889
Kuribayashi K: *see* Doyama M FL230
Kuribayashi K and Doyama M: Positron trapping model at thermal equilibrium—effect of migration of vacancies FL92
Kus F W: The generalized two band model and deviations from Matthiessen's rule in silver alloys F1512
Kushwaha M S, Srivastava B D and Dubey V S: L absorption spectra of ^{57}La to ^{63}Eu in their oxides F597

Lähteenkorva E E: *see* Lahti A V F1249
Lahti A V and Lähteenkorva E E: The two phonon scattering of x rays in body centred cubic metals F1249
Lanchester P C, Whitehead N F, Wells P and Scurlock R G: The low temperature specific heat of hexagonal cobalt in a magnetic field F247
Laubitz M J: *see* Leavens C R F1519
Lea M J: *see* Thomas R L FL21
Leach J S L: *see* Ashelby D W F2105
Leavens C R and Laubitz M J: Phonon drag and the low temperature electrical resistivity of potassium F1519
Leckey R: *see* McLachlan A F2415
Le Dang Khoi, Veillet P and Campbell I A: Short range order in dilute iron alloys FL203
Le Dang Khôi, Veillet P and Campbell I A: The temperature dependence of hyperfine fields at impurities in Fe F2184
LeFever H Th: *see* Buschow K H J F1625
Leiper W: *see* Mackay G R FL166
Lennartz R: *see* Dworkschak F F400
Leon B and Nagi A D S: Calculation of the electronic thermal conductivity of

superconducting alloys with paramagnetic impurities F1533
Leoni F: *see* Shankar Lal F697
Lerski R A: Electrodynamically and thermally driven flux flow in type I superconductors F923
Leveque G: *see* Ferraton J P F1433
Levin R: *see* Rettori C F2379
Liesegang J: *see* McLachlan A F2415
Lisher E J: *see* Killean R C G F1107
Liu C F and Moore R A: A theoretical determination of the phonon frequencies in metallic lithium F1817
Lloyd P: *see* Cox B N FL197
Loegel B: Magnetic transitions in the chromium–iron system F497
Loegel B: *see* Amamou A F1342
Loegel B, Friedt J M and Poinsot R: Superparamagnetic behaviour in Fe_xCr_{1-x} alloys ($0{\cdot}20 < x < 0{\cdot}30$) FL54
Mackay G R, Blaaw C and Leiper W: The hyperfine field at tellurium impurity sites in the Heusler alloy Pd_2MnSb FL166
Male S E and Taylor R H: Electron spin resonance in $LaNi_5$–Gd alloys—absence of dynamic effects in the bottleneck FL26
Maliszewski E, Sosnowski J, Bednarski S, Czachor A and Holas A: Lattice dynamics of $Pd_{1-x}Fe_x$ systems F1455
Malmström G and Blomberg C: Orbital magnetism of magnetic impurities F1197
Mannan Kh M and Karim Kh R: Grain boundary contribution to the electrical conductivity of polycrystalline Cu films F1687
March N H: *see* Bhatia A B F1100
March N H: *see* Perrin R C F1490
March N H: *see* Sayers C M FL207
Martin D C: Crystallographic and magnetic properties of pseudobinary alloys based on cobalt–platinum F1031
Martin J W: On the electronic contribution to the elastic constants of metals F1257
Martino F and Yonezawa F: A comparison between two selfconsistent single-site approximations for liquid metals FL146
Massalski T B: *see* Mizutani U F2262
Masuda K: Anderson model approach to a system containing a vacancy and an impurity atom F205
Mathon J: *see* Edwards D M F1619
Matsuura M: *see* Woo C H F1836
Matsuura M, Woo C H and Wang S: Electronic structure of metals: II. Phonon spectra and Fermi surface distortions F1849
Matthews J A D: *see* Jackson A J F363
Maurya J R and Srivastava R S: Crystal dynamics of the hexagonal metals Be, Mg and Zn F2256
McCausland M A H: *see* Arif S K FL247
McEwen K A: *see* Roeland L W FL233
McLachlan A, Jenkin J, Leckey R and Liesegang J: A valence band study of Ag–Pd alloys using ultraviolet photoelectron spectroscopy F2415
McMullen T and Hede B: Temperature dependence of positron vacancy trapping in the Feynman polaron model F669
Melville D: *see* del Moral A F1767
Mercader R C and Cranshaw T E: The Mössbauer spectrum of strained iron and the quadrupole coupling in α iron FL124
Meyers A J P: *see* Besnus M J F2138
Miedema A R: *see* Dorleijn J W F F487
Miedema A R: *see* Dorleijn J W F F1543
Mikke M: *see* Jankowska J FL238
Miller D: *see* Movaghar B F261
Mizutani U and Massalski T B: Specific heats of α phase and ζ phase Ag–Al alloys in the range 1·5–4·2 K F2256
Moleman A C: *see* Roeland L W FL233
Moody D E: *see* Gregory I P F36
Moon J R: *see* Ashelby D W F2105
Moore R A: Reformation of the g shift in metals starting with the Pauli equation F459
Moore R A: Theoretical evaluation of the g shift in the alkali metals F2300
Moore R A: *see* Liu C F F1817
del Moral A and Melville D: Magnetostriction of some cubic rare earth–Co_2 compounds in high magnetic fields F1767
Morán-López J L, Kerker G and Bennemann K H: Theory for the electronic structure at the surface of transition metal alloys F1277
Moreau F: *see* Dimitrov C F385
Moriarty J A: Equivalence of resonance and tight binding descriptions of the d band in transition metals F873
Morton N, James B W, Wostenholm G H and Nichols R J: The electrical resistivity of niobium and niobium–zirconium alloys F85
Morton N, James B W, Wostenholm G H and Nuttall S: The thermal and electrical conductivities of niobium–65% titanium alloys F2098
Movaghar B and Miller D: Electronic structure of liquid metals and alloys in the tight binding approximation: II F261
Mulimani B G: *see* Harris R F1910
Muller F A: *see* Roeland L W FL233
Muscat J P: Effects of the range of exchange interactions on the surface spin susceptibility of paramagnetic metals FL119
Myers A: *see* Ali Z F908
Nagarajan T, Ramasamy P, Iyakutti K and Devanathan V: Positron annihilation in

polycrystalline Al and Th-angular distribution F81
Nag: A D S: *see* Leon B F1533
Nauciel-Bloch M: *see* Riedinger R F732
Nérou J P: *see* Filion A F468
Nevald R: An empirical rule concerning the asymmetry of the electric field gradient at a copper nucleus being nearest neighbour to an impurity in dilute copper alloys FL181
Nevald R and Petersen G: Single crystal studies of host Knight shifts and electric field gradients of copper dilutely alloyed with transition metal impurities F1778
Newman D J: *see* Islam M M F939
Nichols R J: *see* Morton N F85
Niemeyer S: *see* Katerberg J FL74
Nieuwenhuys G J: *see* de Pater C J FL58
Niez J J and Averbuch P: Mechanisms of nuclear acoustic resonance in conductors F1227
Nilsson P O and Forssell G: Optical properties of Ca in the range 2·1–11·5 eV FL159
Nizzoli F: *see* Bertoni C M F419
Norgett M J: *see* Schober H F637
Norris P R: *see* Fuggle J C F590
Nuttall S: *see* Morton N F2098

Oesterreicher H: The mechanism of magnetization in materials $Sm_{0\cdot167}Co_{0\cdot833-x}Al_x$ F1607
Ohashi K and Kobayashi K: Effective Debye temperature F1466
O'Leary W P: Partial structure factors and pair correlation for an amorphous magnetic alloy FL175

Palmer S B: Antiferromagnetic domains in rare earth metals and alloys F2370
Pant M M and Das M P: Work functions of alkali metals F1301
Papavassiliou G C and Kokkinakis Th: *Corrigendum to* Optical absorption spectra of surface plasmons in small copper particles (published 1974) F384
Park J G: *see* Jarvis P F1573
Parkinson J B: Ginzburg–Landau theory of the transition at H_{c_2} in thin film superconductors F2318
Parlebas J C, Demangeat C and Gautier F: Friedel's rule for a pair of defects in transition or noble metals FL18
Partington J P: *see* Bagguley D M S FL39
Paskin A: *see* Shankar Lal F697
de Pater C J, van Dijk C and Nieuwenhuys G J: Diffuse neutron scattering of PdMn FL58
Patik B A, Agrawal G S and Kher V G: X ray spectroscopic investigation of an ytterbium–gold system F2208
Peisl H: *see* Hertz W F604
Peisl H: *see* Hertz W F2241
Penchina C M: *see* Shevchik N J F2008
Penning D: *see* Katerberg J FL74
Perkins P G: *see* Breeze A F255
Perrin R C, Taylor R and March N H: Charge density, local density of states and response functions in body centred cubic lithium metal F1490
Petersen G: *see* Nevald R F1778
Pfändner K: *see* Böning K F1176
Pierre J: *see* Belakhovsky M F2274
Pinheiro M F: *see* Sousa J B FL155
Plischke M: *see* Cochrane R W F763
Poinsot R: *see* Loegel B FL54
Poirier M: *see* Devine R A B F1407
Poirier M: *see* Devine R A B F2362
Pokorny M and Åström H U: Temperature dependence of the electrical resistivity of liquid tin between 214°C and 705°C F1327
Poldy C A: *see* Taylor K N R F1593
Popplewell J, Charles S W and Jenkins D D: Amorphous vapour-quenched gadolinium–silver alloys FL137
Potter M R and Green G W: Optical properties of calcium in the vacuum ultraviolet F1426
Prasad R, Auluck S and Joshi S K: Wavevector dependent susceptibility and dielectric function for copper F1385
Prasad R, Auluck S and Joshi S K: *Corrigendum to* Wavevector dependent susceptibility and dielectric functions for copper F2425
Prejean J J, Souletie J and Teixeira J: Interpolation scheme for the Kondo condensation applied to the study of its effect on the transition temperature of a superconductor FL6
Pritchard R G: *see* Booth J G F347

Ramasamy P: *see* Nagarajan T F81
Ranninger J: Phonon softening and central peak in the quasi one dimensional β tungsten metals F1083
Rao K V: *see* Benediktsson G F1966
Rao P V S: Many electron correlation effects on the energies and configuration of lattice defects in simple metals: Stacking faults F611
Rao P V S: Many electron correlation effects on the energies and configuration of lattice defects in simple metals: Single vacancies F843
Rao P V S: *see* Das S G FL35
Rapp O and Fogelholm R: Gap anisotropy and electron–phonon interaction in dilute Al–Mg alloys F1694
Rashid A A M: *see* Dosdale T F F2109
Rasolt M: Energy dependent of the electron gas vertex function and its effect on transport properties F2294
Ratti V K and Bhatia A B: Electrical properties of compound forming molten systems: Mg–Bi and Tl–Te F893
Ray D K: *see* Belakhovsky M F2274

Ray J: *see* Bansal C F1663
Reis M M: *see* Sousa J B FL155
Reissland J A and Ese O: The lattice dynamics of metals using the Shaw model potential F110
van der Rest J: *see* Brouers F F975
van der Rest J: *see* Gautier F F1884
van der Rest J, Gautier F and Brouers F: Local environment and magnetic properties in transitional binary alloys: II F995
van der Rest J, Gautier F and Brouers F: Off-diagonal disorder and energy of formation in transitional alloys F2283
Rettori C, Levin R and Davidov D: On the anisotropy in the exchange of field experienced by Er ions in the metallic cubic compounds PrSb and TmSb F2379
Rickayzen G: *see* Fêat G R F307
Ridner A E: *see* Bressan O J F481
Riedi P C: The distribution of hyperfine fields in iron and nickel F186
Riedi P C: NMR of ^{27}Al in ferromagnetic iron: the contribution of the conduction electron polarization to the hyperfine field F2191
Riedinger R and Nauciel-Bloch M: On the magnetic susceptibilities in disordered alloys II. Multiorbital case, spin wave stiffness constant F732
Riess I: The linear T dependence of the specific heat and the saturation of the susceptibility for $T \rightarrow 0$ in dilute magnetic alloys F1957
Rinder A E: *see* Bressan O J F1902
Rivier N and Adkins K: Resistivity of spin glasses F1745
Robin-Kandare S: *see* Ferraton J P F1433
Robin-Kandare S: *see* Ferraton J P F2003
Robinson G G and de Chatel P F: Charge distribution in heterovalent alloys F1502
Roeland L W, Cock G J, Muller F A, Moleman A C, McEwen K A, Jordan R G and Jones D W: Conduction electron polarization of gadolinium metal FL233
Rojo J M: *see* Baró A M F826
Rosengren A: *see* Johansson B FL15
Rosengren A and Johansson B: Lattice dynamics of rubidium F629
Rosner P: *see* Böning K F1176
Ross J W and Sigalas J: Isomer shifts in gadolinium compounds having the caesium chloride structure F1973
Ross R G: *see* Devillers M A C F73
Roth L M: *see* Yonezawa F F435
Rowlands J A and Woods S B: Deviations from Matthiessen's rule in cold-worked aluminium FL100
Ruggeri R: *see* Cubiotti G FL129

Sadoc J F: *see* Bletry J FL1)0
Saito F: *see* Doyama M FL230
Salmeron M: *see* Baró A M F826
Sarode P R: *see* Chetal A R FL217
Sayers C M, March N H, Dev A, Fabian D J and Watson L M: Soft x ray emission study of the screening of Al impurities in Fe FL207
Scattergood R O: *see* Bacon D J F193
Schlüter M: *see* Böning K F1176
Schnatterly S E: *see* Dow J D FL211
Schober H, Taylor R, Norgett M J and Stoneham A M: Theory of the diffusion of heavy impurities in alkali metals F637
Schwall R E: *see* Smith T F F1713
Scurlock R G: *see* Lanchester P C F247
Segel S: *see* Brown R J C F1073
Segel S L: *see* Stroud J D F1981
Segel S L and Stroud J D: Pseudoquadrupole interaction in gallium metal F1986
Sendezera E: *see* Thomas R L FL21
Shankar Lal, Paskin A and Leoni F: Local model pseudopotential for noble metals F697
Shelton R N: *see* Smith T F FL96
Shelton R N: *see* Smith T F F911
Shelton R N: *see* Smith T F F1713
Shelton R N, Smith T F, Koch C C and Gardner W E: T_c and its pressure dependence for technetium-based HCP solid solution alloys F1916
Sherrington D and Southern B W: Spin glass versus ferromagnet FL49
Shevchik N J: Evolution of energy bands from the Au 5d level in Cd–Au alloys F1860
Shevchik N J and Penchina C M: Final state effects in the photoemission core level and Auger spectra of Ni and Ni alloyed with Zn F2008
Shimizu M: *see* Bloch D F1217
Shiozaki I: Hall coefficients of beryllium F451
Sigalas J: *see* Ross J W F1973
Silbert M, Umar I H, Watabe M and Young W H: Entropies and structure factors of liquid metals F1262
da Silva X A: *see* Troper A F160
Šimánek E: Phase transition in random superconductors F2334
Šimánek E and Hayward J C: Fluctuation specific heat in an inhomogeneous superconductor F2330
Sinclair J E and Hirth J P: Two dimensional elastic Green function for a cracked anisotropic body F236
Singh A K and Kashyap B M S: X ray K absorption edge study of chemical shift in cobalt complexes F822
Singru R M: *see* Kanhere D G F1146
Sinha P: *see* Chatterjee S F2089
Slechta J: A generalization of MCPN for two and three dimensional disordered systems F1285
Smith D A: The zero-frequency susceptibility of spin glasses and mictomagnets F2148
Smith D A and Haberkern G P: *Corrigendum to* Spin–orbit interactions in dilute magnetic alloys

I. Induced spin anisotropy and its effect on the electrical resistance F1248
Smith J H: *see* Gray E M FL171
Smith P V: *see* Cook C L F2402
Smith T F: *see* Finlayson T R FL225
Smith T F: *see* Shelton R N F1916
Smith T F and Shelton R N: Pressure dependence of T_c for the transition metals: BCC solid solution alloys in the system Zr–Nb–Mo–Re F911
Smith T F, Shelton R N and Schwall R E: Superconductivity of $TaS_{2-x}Se_x$ layer compounds at high pressure F1713
Smith T F, Tainsh R J, Shelton R N and Gardner W E: Electrical resistivity of Ni–Cr alloys FL96
Sokoloff J B: Fluctuation induced band splitting in ferromagnetic and nearly ferromagnetic metals F528
Sokoloff J B: Consequences of the persistence of Stoner splitting up to and above T_c for the phase transition and the elementary excitations of ferromagnetic metals F1946
Somekh R E: A simple model for B_{c_2} in A15 materials and the effects of disorder F713
Sosnowski J: *see* Maliszewski E F1455
Souletie J: Temperature dependent phase shifts: a phenomenological approach to the Kondo problem F329
Souletie J: *see* Prejean J J FL6
Sousa J B, Chaves M R, Braga M E, Reis M M, Pinheiro M F and Crisan M: Critical behaviour of the electrical resistivity near the Néel point in antiferromagnetic Cr–Mn alloys FL155
Southern B W: *see* Sherrington D FL49
Srivastava B D: *see* Kushwaha M S F597
Srivastava R S: *see* Maurya J R F2256
Stancanelli A: *see* Cubiotti G FL129
v Steenwijk F J: *see* Buschow K H J F1625
Stiles J A R, Kaplan N and Williams D Ll: Single crystal NMR studies of electric field gradient and Knight shift tensors in AlMn and AlCr F1993
Stöhr J, Cashion J D and Wagner W: Mössbauer spectroscopy of rare earth impurities in hexagonal host metals: ZrEr F1417
Stöhr J and Wagner W: Hyperfine interactions and relaxation effects of Er impurities in Y studied by Mössbauer spectroscopy F812
Stoneham A M: *see* Schober H F637
Stott M J: *see* Stroud J F1667
Ström-Olsen J O: *see* Harris R F1910
Stroud J D: *see* Segel S L F1986
Stroud J D and Segel S L: Knight shift and quadrupole coupling in beta-gallium F1981
Stroud J D and Stott M J: The electronic structure and Knight shift of β-Ga F1667
Sukiennicki A: *see* Jankowska J FL238
Suoninen E J and Valkonen T V O: X ray emission studies of the electron structure of Ni atoms in nickel–aluminium alloys F837
Swan D E: *see* Colley M G FL80
Sy H K: Electron spin resonance in metals with magnetic impurities F575
Sy H K and Walker M B: Anisotropic electron spin resonance linewidth of a T_8 quadruplet in a metal F1064

Tainsh R J: *see* Smith T F FL96
Takács L, Cadeville M C and Vincze I: Mössbauer study of the intermetallic compounds $(Fe_{1-x}Co_x)_2B$ and $(Fe_{1-x}Co_x)B$ F800
Takai O, Yamamoto R, Doyama M and Hisamatsu Y: Migration energies of impurity atoms in cubic metals FL83
Tanigawa S: *see* Doyama M FL230
Tao S J: *see* Chuang S Y F1681
Tari A: *see* Coles B R F565
Tate C: *see* Jackson A J F363
Taylor K N R: *see* Krizek J F774
Taylor K N R and Poldy C A: Structural and magnetic properties of pseudobinary phases in the yttrium–3d transition metal phase diagrams F1593
Taylor R: *see* Beauchamp P F2017
Taylor R: *see* Perrin R C F1490
Taylor R: *see* Schober H F637
Taylor R H: *see* Coles B R F565
Taylor R H: *see* Male S E FL26
Taylor R H and Coles B R: Electron spin resonance studies of the onset of magnetic order in intermetallic compounds F121
Teixeira J: *see* Prejean J J FL6
Templeton I M and Coleridge P T: The Fermi surfaces of dilute copper alloys: I. Experiment F1307
Tepley N, Batra N K and Thomas R L: Magnetoacoustic quantum oscillation studies in gallium at 9 GHz F1130
Thaler B J and Bass J: Phonon-enhanced effective mass from thermopower oscillations in aluminium F1554
Thiel R C: *see* Buschow K H J F1625
Thomas R L: *see* Tepley N F1130
Thomas R L, Lea M J, Sendezera E and Dobbs E R: Electromagnetic detection of ultrasonic shear waves in superconducting tin FL21
Thompson R S: *see* Ali Z F908
Thomson K W: *see* Finlayson T R FL225
Thorpe M F: *see* Heimendahl L V FL87
Tilley D R: *see* Coutinho S F948
Timms W E and Walmsley D G: Spiral fluxlines in irreversible superconducting cylinders F287
Tindall D A and Jericho M H: Low temperature resistance anomalies in single crystals of Tb and Dy F1359
Tiwari M D: Lattice dynamics of gold FL184

Toyoda T and Kume K: Residual resistivities of dilute Cu–Ir, Au–Ta and Au–Hf alloys FL134
Troper A, da Silva X A, Guimarães A P and Gomes A A: Magnetic response of s-d hybridized systems: microscopic and phenomenological approaches F160

Udagawa K: *see* Iguchi E F214
Umar I H: *see* Silbert M F1262

Valkonen T V O: *see* Suoninen E J F837
Van Zytveld J B: Electronic properties of liquid Li–Mg F506
Van Zytveld J B: *see* Dupree B C FL200
Van Zytveld J B: *see* Katerberg J FL74
Vashista P: *see* Das S G FL35
Veillet P: *see* Le Dang Khoi FL203
Vincze I: *see* Cadeville M C F790
Vincze I: *see* Takács L F800
Vincze I and Besnus M J: Effect of aluminium on the magnetic moments in ferromagnetic binary alloys F2129
Viswanathan K S: Helicon–phonon interaction in metals FL107
Vitek V: *see* Beauchamp P F2017
Vitek V: *see* Yamaguchi M F1
Vitek V: *see* Yamaguchi M F11
Voiron J: *see* Bloch D F1217
de Vroomen A R: *see* Ament M A E F2394
de Vroomen A: *see* Castelijns J F2407

Wagner W: *see* Stöhr J F812
Wagner W: *see* Stöhr J F1417
Walker M B: *see* Sy H K F1064
Walmsley D G: *see* Timms W E F287
Wang C S: *see* Callaway J F2119
Wang S: *see* Matsuura M F1849
Wang S: *see* Woo C H F1836
Warchol S: *see* Jankowska J FL238
Watabe M: *see* Kobayashi FL1
Watabe M: *see* Silbert M F1262
Watabe M: *see* Yonezawa F F435
Watson L M: *see* Fuggle J C F375
Watson L M: *see* Fuggle J C F590
Watson L M: *see* Sayers C M FL207
Watts G D: *see* Hopkins B J F342
Webster P J: *see* Ziebeck K R A F1756
van Weeren J M P: *see* de Groot D G F1559
Wells P: *see* Lanchester P C F247
Weightman P, Andrews P T and Hisscott L A: Relaxation processes accompanying photoemission FL220
Whitehead N F: *see* Lanchester P C F247
Whyman P J and Aldridge R V: The Hall effect in thin films of chromium and cobalt and nickel F2176
Wikborg E: *see* Inglesfield J E F1475
Wikborg E: *see* Inglesfield J E F1706
Williams D Ll: *see* Stiles J A R F1993
Wilson G V H: *see* Colley M G FL80
Wiser N: *see* Greenfield A J F1289
Wohlfarth E P: *see* Edwards D M F1619
Wollenberger H: *see* Dworkschak F F400
Woo C H: *see* Matsuura M F1849
Woo C H, Wang S and Matsuura M: Electronic structure of metals: I. Energy independent model pseudopotential formalism F1836
Woods S B: *see* Rowlands J A FL100
Wostenholm G H: *see* Morton N F85
Wostenholm G H: *see* Morton N F2098

Yamaguchi M and Vitek V: Core structure of non screw $\frac{1}{2}\langle 111\rangle$ dislocations on {112} planes of bcc crystals: I. Core structure in an unstressed crystal F1
Yamaguchi M and Vitek V: Core structure of non screw $\frac{1}{2}\langle 111\rangle$ dislocations on {112} planes in bcc crystals: II. Peierls stresses and the effects of an external shear stress on the cores F11
Yamamoto R: *see* Takai O FL83
Yonezawa F: *see* Martino F FL146
Yonezawa F, Roth L M and Watabe M: On the coherent potential approximation for liquid metals F435
Young A P and Jakubovics J P: The effect of planar defects on exchange interactions in ferromagnetic metals F1866
Young W: Spin susceptibilities in the theory of itinerant-electron anti-ferromagnetism F2343
Young W H: *see* Silbert M F1262

Zacharias P: Behaviour of collective volume excitations in aluminium near the 'critical wave-vector' (transition into single particle excitation) F645
Zaman N and Jacobs R L: The density of states of a one-dimensional binary alloy by continued fractions F1677
Ziebeck K R A and Webster P J: Helical magnetic order in Ni_2MnAl F1756
Zobin D: *see* Cochrane R W F763
Zuckermann M J: *see* Cochrane R W F763
Zweers H A and van den Berg G J: The transition from a uniform ferromagnet to a complicated ordering structure in Pd rich Pd–Mn alloys F555